CATALOG
2027



GIBRALTAR

TABLE BASES & COMPONENTS

TABLE OF CONTENTS

	Nexus Esports	**2-3**
	Media	**4-5**
	Arch	**6-11**
	DuraCast	**12-27**
	Fusion	**28-37**
	Oval	**38-41**
	Propel	**42-56**
	Rove	**57-61**
	Tubular	**62-71**
	H Legs	**72-74**
	Rectangle End Panel Supports	**75**
	O Legs	**76-78**
	Latitude	**79-83**
	• Steel Top Laptop Tables	**80**
	• Laptop Bases	**81**
	• Occasional Bases	**82-83**
	Pedestal	**84-89**
	• Round	**85**
	• Square & Rectangle	**86**
NEW!	• Squircle	**87**
	• Tapered	**88**
	• Cylinder	**89**
	Panel	**90-94**
	Post Legs	**95-106**
	• Round	**96-99**
NEW!	• Espy	**100**
	• Square	**101**
NEW!	• Rectangle	**102**
	• Angled	**103**
	• Bent	**104-105**
	• Tapered	**106**
	Adjustable Height	**107-109**
	• Electric	**108**
	• Hand Crank	**109**
	Surface Mounted	**110-111**
	Modesty Panels	**112-116**
	Accessories	**117-122**
	Powder Coat Finishes	**123**
	Terms & Conditions	**124**
	Warranty	**125**


NEXUS ESPORTS

Nexus

was designed for the dynamic Esports environment, featuring a built-in modesty panel for privacy and wire management. When the bases are aligned, the 5" deep panels form a continuous channel allowing access to any wires and cables from a computer or console. Optional side panels are available for additional privacy and aesthetics.



Nexus / No Panels / Page 3



Nexus / Perforated Panels / Page 3

NEXUS ESPORTS BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 1" x 2" steel tubing, 14ga
- Foot: 1" x 1-1/2" steel tubing, 14ga

Mounting
- Requires (11) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 1-3/8" dia. x 1/4-20 x 5/8" shank

Modesty Panel
- Fabricated steel, 20ga, 5" deep wire channel

Optional Side Panels
- Fabricated steel, 20ga

Finish
- Powder coat finish as standard

Shipping
- Parts #1250 & #1251 ship in two boxes, all other parts ship in three boxes
- Can be shipped via FedEx or UPS

36" WIDE

List Price Per Set

Part #	Side Panels	Recommended Top Size	Overall Base Spread	Weight	1-49	50+
1250	None	30" x 36"	26-5/8"	31 lbs.	900	796
1250-1001	Plain	30" x 36"	26-5/8"	37 lbs.	1170	946
1250-1002	Perforated	30" x 36"	26-5/8"	37 lbs.	1180	956

42" WIDE

List Price Per Set

Part #	Side Panels	Recommended Top Size	Overall Base Spread	Weight	1-49	50+
1251	None	30" x 42"	26-5/8"	32 lbs.	900	796
1251-1001	Plain	30" x 42"	26-5/8"	38 lbs.	1170	946
1251-1002	Perforated	30" x 42"	26-5/8"	38 lbs.	1180	956

WIRE MANAGER - AVAILABLE IN SILVER OR BLACK

List Price Each

Part #	Length	Size	Material	Weight	1+	12+	26+	100+	250+
9001-0014	14"	0.82" x 1.80"	PVC	32 lbs.	34	24	21	19	18

OPTIONS

- **Unfinished/Raw**
  - Subtract $65 LIST

MEDIA TABLE BASES

Our versatile media table bases include an electronics enclosure that measures 10.5" x 10.5", providing ample space for components. The tool-free, removable perforated panels offer instant access to wiring. Bracket options available for secure peninsula installations.



Propel Media Base / Page 5

MEDIA TABLE BASES



*Shown in DuraCast series

SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 1-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- (4) 3-3/8" x 3-3/8" steel plates
- Requires (12) #12-14 screws (not supplied)

Panels
- Perforated steel panels included

Adjustable Leveler
- 3/8-16 x 3/4″ long shank

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

DURACAST

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	Height	1+	12+	26+	100+	250+
1150	2-1/4" Dia.	54" Sq / 60" Rd / 48" x 60" Rect	51" x 51"	66 lbs.	27-3/4"	1739	1639	1541	1521	1511
1152	2-1/4" Dia.	54" Sq / 60" Rd / 48" x 60" Rect	51" x 51"	72 lbs.	40-3/4"	2030	1930	1832	1812	1802
1153	2-1/4" Dia.	60" Sq / 72" Rd / 60" x 72" Rect	56" x 56"	68 lbs.	27-3/4"	1759	1659	1561	1541	1531
1155	2-1/4" Dia.	60" Sq / 72" Rd / 60" x 72" Rect	56" x 56"	74 lbs.	40-3/4"	2050	1950	1852	1832	1822

PROPEL

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	Height	1+	12+	26+	100+	250+
1156	2-1/4" Dia.	54" Sq / 60" Rd / 48" x 60" Rect	51" x 51"	66 lbs.	27-3/4"	1759	1659	1561	1541	1531
1158	2-1/4" Dia.	54" Sq / 60" Rd / 48" x 60" Rect	51" x 51"	72 lbs.	40-3/4"	2050	1950	1852	1832	1822
1159	2-1/4" Dia.	60" Sq / 72" Rd / 60" x 72" Rect	56" x 56"	68 lbs.	27-3/4"	1779	1679	1581	1561	1551
1161	2-1/4" Dia.	60" Sq / 72" Rd / 60" x 72" Rect	56" x 56"	74 lbs.	40-3/4"	2070	1970	1872	1852	1842

OPTIONS

- **Unfinished/Raw**
  - Subtract $75 LIST (with panels), subtract $25 LIST (no panels)
- **No Panels**
  - Add suffix "-0010" to part #, subtract $375 LIST
- **Wall support bracket available, see page 119**

ARCH
COLLECTION

Arch

offers a classic design defined by its signature curved profile, making it a reliable choice for a variety of spaces. Available in multiple configurations with a range of options and finishes.





ARCH T BASE



SPECS

Construction
- Welded for maximum strength and stability

Tubing
- Column: 2" OD x 14ga
- Foot: 1-3/8" OD x 13ga

Mounting Plate
- Steel, 6" x 8"
- Requires (8) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 1-3/8" dia. x 1/4-20 x 5/8" shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
7216	2" Dia.	22"	16"	9 lbs.	164	158	155	153	151
7222	2" Dia.	30"	22"	10 lbs.	165	159	156	154	152
7226	2" Dia.	36"	26"	11 lbs.	171	165	162	160	158

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $14 LIST
  - Soft Wheel: add prefix "D" to part #, add $21 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $98 LIST
- **Wire Holes**
  - Add prefix "W" to part #, add $38 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed

ARCH T BASE / FOLDING



SPECS

Construction
- Welded for maximum strength and stability
- Folding mechanism is mechanically attached to the base

Tubing
- Column: 2" OD x 14ga
- Foot: 1-3/8" OD x 13ga

Folding Mechanism
- Injection molded, aluminum and steel
- Requires (11) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 1-3/8" dia. x 1/4-20 x 5/8" shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
7790	2" Dia.	22"	16"	10 lbs.	328	322	319	317	315
7794	2" Dia.	30"	22"	11 lbs.	329	323	320	318	316
7798	2" Dia.	36"	26"	12 lbs.	335	329	326	324	322

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix “C” to part #, add $14 LIST
  - Soft Wheel: add prefix “D” to part #, add $21 LIST
- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix “AH” to part #, add $78 LIST
- **Risers**
  - For tables shorter than 60", risers are needed on one leg
    - To order, add prefix “R” to part #, add $64 LIST

ARCH T BASE / FLIP-TOP



SPECS

Construction
- Welded for maximum strength and stability
- Flip-Top mechanism is mechanically attached to the base

Tubing
- Column: 2" OD x 14ga
- Foot: 1-3/8" OD x 13ga

Flip-Top Mechanism
- Available in Silver and Black
  - Silver housings ship with silver and medium grey finishes.
  - Black housings ship with all other standard base finishes.
- Mechanism is injection molded, aluminum and steel
  - Requires (8) #12-14 screws (not supplied)
- Handle release is included and ships attached with standard length cables.
  - Requires (4) #12-14 screws (not supplied)
  - For tables longer than 60", please call for solutions

Base Height
- 27-3/4"

Adjustable Leveler
- 1-3/8" dia. x 1/4-20 x 5/8" shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
H7760	2" Dia.	22"	16"	10 lbs.	284	278	275	273	271
H7764	2" Dia.	30"	22"	11 lbs.	285	279	276	274	272
H7768	2" Dia.	36"	26"	12 lbs.	291	285	282	280	278

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix “C” to part #, add $14 LIST
  - Soft Wheel: add prefix “D” to part #, add $21 LIST
- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix “AH” to part #, add $78 LIST
- **Inline Nesting**
  - Bases mounted at a 30° angle: add prefix “3030-” to part #, add $18 LIST

ARCH TT BASE



SPECS

Construction
- Welded for maximum strength and stability

Tubing
- Column: 2" OD x 14ga
- Foot: 1-3/8" OD x 13ga

Mounting Plate
- Steel, 6" x 18"
- Requires (8) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 1-3/8" dia. x 1/4-20 x 5/8" shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
7236	2" Dia.	48" Rect / 60" Rd	36"	20 lbs.	318	302	296	292	290

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $56 LIST
  - Taller up to bar height, add $65 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $65 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $22 LIST
  - Soft Wheel: add prefix "D" to part #, add $29 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height

ARCH X BASE



SPECS

Construction
- Rigid bolted

Tubing
- Column: 3" OD x 16ga
- Foot: 1-3/8" OD x 13ga

Mounting Plate
- Parts 7326 & 7332 use a cast aluminum spider
  - Requires (8) #12-14 screws (not supplied)
- Part 7338 uses a 12" x 12" x 4ga steel mounting plate
  - Requires (12) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 1-3/8" dia. x 1/4-20 x 5/8" shank

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
7326	3" Dia.	30" Sq / 36" Rd	26" x 26"	15 lbs.	378	373	370	368	365
7332	3" Dia.	36" Sq / 42" Rd	32" x 32"	16 lbs.	394	389	386	384	381
7338	3" Dia.	42" Sq / 54" Rd	38" x 38"	28 lbs.	438	433	430	428	425

OPTIONS

- **Unfinished/Raw**
  - Subtract $10 LIST
- **Special Heights**
  - Shorter, add $45 LIST
  - Taller up to bar height, add $62 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $62 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $28 LIST
  - Soft Wheel: add prefix "D" to part #, add $42 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $37 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Flip-Top**
  - Add prefix "FT", add $145 LIST
  - Maximum top size is 48" with levelers & 46" with casters



DURACAST
COLLECTION

DuraCast

brings a distinctive feel to any space. This **patented** design is available in a wide range of base shapes and sizes to accommodate a variety of table applications. From coffee tables to conference tables, with options from fixed to Flip-Top, DuraCast delivers versatility across a variety of spaces and needs.



Flip-Top T Bases + Casters + Polished Chrome / Page 15



Double Y Bases + Stretchers / Pages 26-27



Occasional X Base / Page 22

DURACAST T BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- Parts 5080, 5084, & 5088 use a 6" x 8" steel plate
  - Requires (6-8) #12-14 screws (not supplied)
- Part 5090 uses a 8" x 8" steel plate
  - Requires (8-12) #12-14 screws (not supplied)
- Part 5092 uses a 12" x 12" steel plate
  - Requires (8-12) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Parts 5080, 5084, 5088, and 5090 ship 2 per box (sold individually)
- Part 5092 ships 1 per box
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5080	2-1/4" Dia.	20"	15-1/4"	10 lbs.	149	144	141	139	137
5084	2-1/4" Dia.	26"	20"	11 lbs.	155	150	147	145	143
5088	2-1/4" Dia.	36"	26"	11 lbs.	168	163	160	158	156
5090	2-1/4" Dia.	42"	33-1/4"	12 lbs.	209	204	201	199	197
5092	2-1/4" Dia.	48"	38-1/4"	18 lbs.	273	268	265	263	261

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Chrome**
  - Polish: Stnd Ht: add $235 LIST, Taller Ht: add $255 LIST
  - Satin: Stnd Ht: add $280 LIST, Taller Ht: add $300 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Leveler Extensions (Black)**
  - Add prefix "E" to part #, add $30 LIST



- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $98 LIST
  - Adjustable spring clip in chrome: Quoted upon request
- **Wire Holes**
  - Add prefix "W" to part #, add $30 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed

DURACAST T BASE / FOLDING



SPECS

Construction
- Base is a bolted, welded combination
- Folding mechanism is mechanically attached to the base

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Folding Mechanism
- Injection molded, aluminum and steel
- Requires (11) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5060	2-1/4" Dia.	20"	15-1/4"	10 lbs.	313	308	305	303	301
5064	2-1/4" Dia.	26"	20"	11 lbs.	319	314	311	309	307
5066	2-1/4" Dia.	36"	26"	12 lbs.	332	327	324	322	320
5068	2-1/4" Dia.	42"	33-1/4"	12 lbs.	373	368	365	363	361

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Chrome**
  - Polish: Stnd Ht: add $235 LIST, Taller Ht: add $255 LIST
  - Satin: Stnd Ht: add $280 LIST, Taller Ht: add $300 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Leveler Extensions (Black)**
  - Add prefix "E" to part #, add $30 LIST



- **Risers**
  - For tables shorter than 60", risers are needed on one leg
  - Add prefix "R" to part #, add $64 LIST
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $98 LIST
  - Adjustable spring clip in chrome: Quoted upon request
- **Wire Holes**
  - Add prefix "W" to part #, add $30 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed

DURACAST T BASE / FLIP-TOP



SPECS

Construction
- Base is a bolted, welded combination
- Flip-Top mechanism is mechanically attached to the base

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Flip-Top Mechanism
- Available in Silver and Black
  - Silver housings ship with silver and medium grey finishes.
  - Black housings ship with all other standard base finishes.
- Mechanism is injection molded, aluminum and steel
  - Requires (8) #12-14 screws (not supplied)
- Handle release is included and ships attached with standard length cables.
  - Requires (4) #12 -14 screws (not supplied)
  - For tables longer than 60", please call for solutions

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
H5050	2-1/4" Dia.	20"	15-1/4"	10 lbs.	271	266	263	261	259
H5054	2-1/4" Dia.	26"	20"	11 lbs.	277	272	269	267	265
H5056	2-1/4" Dia.	36"	26"	12 lbs.	290	285	282	280	278

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Chrome**
  - Polish: Stnd Ht: add $235 LIST, Taller Ht: add $255 LIST
  - Satin: Stnd Ht: add $280 LIST, Taller Ht: add $300 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Leveler Extensions (Black)**
  - Add prefix "E" to part #, add $30 LIST



- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $98 LIST
  - Adjustable spring clip in chrome: Quoted upon request
- **Wire Holes**
  - Add prefix "W" to part #, add $30 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed
- **Inline Nesting**
  - Add prefix "3030-" to part #, add $18 LIST
  - Bases mounted at a 30° angle

DURACAST TT BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- (2) Steel, 6" x 8"
- Requires (12-16) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 1 per box
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5096	2-1/4" Dia.	48" Rect / 60" Sq/Rd	34"	19 lbs.	312	305	302	300	298
5098	2-1/4" Dia.	60" Rect / 72" Sq/Rd	40"	20 lbs.	322	315	312	310	308

OPTIONS

- **Unfinished/Raw**
  - Subtract $8 LIST
- **Chrome**
  - Polish: Stnd Ht: add $440 LIST, Taller Ht: add $465 LIST
  - Satin: Stnd Ht: add $488 LIST, Taller Ht: add $513 LIST
- **Special Heights**
  - Shorter, add $60 LIST
  - Taller up to bar height, add $74 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $74 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Leveler Extensions (Black)**
  - Add prefix "E" to part #, add $30 LIST



- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $156 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $196 LIST
  - Adjustable spring clip in chrome: Quoted upon request
- **Wire Holes** (specify if wire holes are needed in both columns)
  - Add prefix "W" to part #, add $30 LIST (per column)
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed
- **Folding Option**
  - Add prefix "F" to part #, add $350 LIST
    - Allows for legs to be folded for quick & easy storage
  - Risers required on 60" round tables or smaller & rectangle tops shorter than 60"
    - Add prefix "R" to part #, add $128 LIST

DURACAST C BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- Steel, 6" x 8"
- Requires (6-8) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5115	2-1/4" Dia.	20"	15-1/8"	10 lbs.	149	144	141	139	137
5122	2-1/4" Dia.	26"	21-3/4"	11 lbs.	155	150	147	145	143
5126	2-1/4" Dia.	32"	26-3/4"	11 lbs.	168	163	160	158	156

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Chrome**
  - Polish: Stnd Ht: add $235 LIST, Taller Ht: add $255 LIST
  - Satin: Stnd Ht: add $280 LIST, Taller Ht: add $300 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Leveler Extensions (Black)**
  - Add prefix "E" to part #, add $30 LIST



- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $98 LIST
  - Adjustable spring clip in chrome: Quoted upon request
- **Wire Holes**
  - Add prefix "W" to part #, add $30 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed
  - Even quantities include left/right bases. For odd quantities, specify left or right hand

DURACAST C BASE / FOLDING



SPECS

Construction
- Base is a bolted, welded combination
- Folding mechanism is mechanically attached to the base

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Folding Mechanism
- Injection molded, aluminum and steel
- Requires (11) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5160	2-1/4" Dia.	20"	15-1/8"	10 lbs.	313	308	305	303	301
5164	2-1/4" Dia.	26"	21-3/4"	11 lbs.	319	314	311	309	307
5168	2-1/4" Dia.	32"	26-3/4"	12 lbs.	332	327	324	322	320

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Chrome**
  - Polish: Stnd Ht: add $235 LIST, Taller Ht: add $255 LIST
  - Satin: Stnd Ht: add $280 LIST, Taller Ht: add $300 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Leveler Extensions (Black)**
  - Add prefix "E" to part #, add $30 LIST



- **Risers**
  - For tables shorter than 60", risers are needed on one leg
  - Add prefix "R" to part #, add $64 LIST
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $98 LIST
  - Adjustable spring clip in chrome: Quoted upon request
- **Wire Holes**
  - Add prefix "W" to part #, add $30 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed
  - Even quantities include left/right bases. For odd quantities, specify left or right hand

DURACAST C BASE / FLIP-TOP



SPECS

Construction
- Base is a bolted, welded combination
- Flip-Top mechanism is mechanically attached to the base

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Flip-Top Mechanism
- Available in Silver and Black
  - Silver housings ship with silver and medium grey finishes.
  - Black housings ship with all other standard base finishes.
- Mechanism is injection molded, aluminum and steel
  - Requires (8) #12-14 screws (not supplied)
- Handle release is included and ships attached with standard length cables.
  - Requires (4) #12-14 screws (not supplied)
  - For tables longer than 60", please call for solutions

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
H5150	2-1/4" Dia.	20"	15-1/4"	10 lbs.	271	266	263	261	259
H5154	2-1/4" Dia.	26"	21-3/4"	11 lbs.	277	272	269	267	265
H5158	2-1/4" Dia.	32"	26-3/4"	12 lbs.	290	285	282	280	278

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Chrome**
  - Polish: Stnd Ht: add $235 LIST, Taller Ht: add $255 LIST
  - Satin: Stnd Ht: add $280 LIST, Taller Ht: add $300 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Leveler Extensions (Black)**
  - Add prefix "E" to part #, add $30 LIST



- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $98 LIST
  - Adjustable spring clip in chrome: Quoted upon request
- **Wire Holes**
  - Add prefix "W" to part #, add $30 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed
  - Even quantities include left/right bases. For odd quantities, specify left or right hand

DURACAST X BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- Steel, 8″ x 8″ and 12" x 12"
- Requires (12) #12-14 screws (not supplied)

Base Height
- 27-3/4″

Adjustable Leveler
- 3/8-16 x 3/4″ long shank

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5220	2-1/4" Dia.	24" Sq / 24" Rd	20" x 20"	16 lbs.	247	242	239	236	234
5226	2-1/4" Dia.	30" Sq / 36" Rd	26" x 26"	16 lbs.	263	258	255	252	250
5233	2-1/4" Dia.	36" Sq / 42" Rd	33-1/4" x 33-1/4"	17 lbs.	297	292	289	286	284
5238	2-1/4" Dia.	42" Sq / 54" Rd	38-1/4" x 38-1/4"	23 lbs.	369	364	361	358	356
5220-5226	2-1/4" Dia.	24" x 30"	20" x 26"	16 lbs.	254	249	246	243	241
5220-5233	2-1/4" Dia.	24" x 36"	20" x 33-1/4"	16 lbs.	270	265	262	259	257
5220-5238	2-1/4" Dia.	24" x 42"	20" x 38-1/4"	22 lbs.	312	307	304	301	299
5226-5233	2-1/4" Dia.	30" x 36"	26" x 33-1/4"	17 lbs.	280	275	272	269	267
5226-5238	2-1/4" Dia.	30" x 42"	26" x 38-1/4"	22 lbs.	319	314	311	308	306
5233-5238	2-1/4" Dia.	36" x 42"	33-1/4" x 38-1/4"	23 lbs.	332	327	324	321	319

OPTIONS

- **Unfinished/Raw**
  - Subtract $10 LIST
- **Chrome**
  - Polish: Stnd Ht: add $260 LIST, Taller Ht: add $280 LIST
  - Satin: Stnd Ht: add $356 LIST, Taller Ht: add $376 LIST
- **Special Heights**
  - Shorter, add $35 LIST
  - Taller up to bar height, add $50 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $50 LIST
- **Locking Casters**
  - Hard Wheel: add prefix “C” to part #, add $36 LIST
  - Soft Wheel: add prefix “D” to part #, add $48 LIST
- **Flip-Top**
  - Add prefix “FT”, add $145 LIST
  - Maximum top size is 54" with levelers & 52" with casters



- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $37 LIST
  - Self-Leveling glides do add approx. 1/2″ to base height
- **Leveler Extensions (Black)**
  - Add prefix "E" to part #, add $60 LIST



- **Adjustable Spring Clip**
  - Height range 24-3/4″ - 33-3/4″: add prefix “AH” to part #, add $150 LIST
  - Height range 27-3/4″ - 40-3/4″: add prefix “AHB” to part #, add $165 LIST
  - Adjustable spring clip in chrome: Not available
- **Wire Management Cone**
  - Add prefix “W” to part #, add $168 LIST



- **Wire Management Box**
  - Add prefix “W” and suffix "-0005" to part #, add $205 LIST
  - (Example: W5238-0005)



DURACAST NESTING X BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Flip-Top Mechanism
- Mechanism is injection molded aluminum and steel
  - Requires (8) #12-14 screws (not supplied)
- Handle release is included and ships attached
  - Requires (4) #12-14 screws (not supplied)

Base Height
- 27-3/4″

Adjustable Leveler
- 3/8-16 x 3/4″ long shank

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5320	2-1/4" Dia.	24" Sq / 24" Rd	20" x 20"	17 lbs.	499	479	469	465	463
5326	2-1/4" Dia.	30" Sq / 30" Rd	26" x 26"	18 lbs.	516	496	486	482	480
5333	2-1/4" Dia.	36" Sq / 36" Rd	33-1/4" x 33-1/4"	18 lbs.	547	527	517	513	511
5320-5326	2-1/4" Dia.	24" x 30"	20" x 26"	16 lbs.	516	496	486	482	480
5320-5333	2-1/4" Dia.	24" x 36"	20" x 33-1/4"	16 lbs.	547	527	517	513	511

OPTIONS

- **Unfinished/Raw**
  - Subtract $10 LIST
- **Special Heights**
  - Shorter, add $46 LIST
    - Flipping may be hindered depending on the height, call to discuss.
  - Taller up to bar height, add $70 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $70 LIST
- **Locking Casters**
  - Hard Wheel: add prefix “C” to part #, add $36 LIST
  - Soft Wheel: add prefix “D” to part #, add $48 LIST
- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $37 LIST
  - Self-Leveling glides do add approx. 1/2" to base height

OCCASIONAL X BASE: DURACAST SERIES



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- Steel, 8″ x 8″
- Requires (12) #12-14 screws (not supplied)

Adjustable Leveler
- 3/8-16 x 3/4″ long shank

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Height	Weight	1+	12+	26+	100+	250+
1308-1001	2-1/4" Dia.	20" Rd	15-1/4" x 15-1/4"	15"	14 lbs.	254	249	246	243	241
1308-1002	2-1/4" Dia.	20" Rd	15-1/4" x 15-1/4"	17"	14 lbs.	254	249	246	243	241
1308-1003	2-1/4" Dia.	20" Rd	15-1/4" x 15-1/4"	19"	14 lbs.	254	249	246	243	241
1308-1006	2-1/4" Dia.	24" Sq / Rd	20" x 20"	15"	15 lbs.	257	252	249	246	244
1308-1007	2-1/4" Dia.	24" Sq / Rd	20" x 20"	17"	15 lbs.	257	252	249	246	244
1308-1008	2-1/4" Dia.	24" Sq / Rd	20" x 20"	19"	15 lbs.	257	252	249	246	244
1308-1011	2-1/4" Dia.	30" Sq / 36" Rd	26" x 26"	15"	16 lbs.	273	268	265	262	260
1308-1012	2-1/4" Dia.	30" Sq / 36" Rd	26" x 26"	17"	16 lbs.	273	268	265	262	260
1308-1013	2-1/4" Dia.	30" Sq / 36" Rd	26" x 26"	19"	16 lbs.	273	268	265	262	260
1308-1016	2-1/4" Dia.	36" Sq / 42" Rd	33-1/4" x 33-1/4"	15"	17 lbs.	306	301	298	295	293
1308-1017	2-1/4" Dia.	36" Sq / 42" Rd	33-1/4" x 33-1/4"	17"	17 lbs.	306	301	298	295	293
1308-1018	2-1/4" Dia.	36" Sq / 42" Rd	33-1/4" x 33-1/4"	19"	17 lbs.	306	301	298	295	293
1308-1021	2-1/4" Dia.	42" Sq / 48" Rd	38-1/4" x 38-1/4"	15"	19 lbs.	356	351	348	345	343
1308-1022	2-1/4" Dia.	42" Sq / 48" Rd	38-1/4" x 38-1/4"	17"	19 lbs.	356	351	348	345	343
1308-1023	2-1/4" Dia.	42" Sq / 48" Rd	38-1/4" x 38-1/4"	19"	19 lbs.	356	351	348	345	343

OPTIONS

- **Unfinished/Raw**
  - Subtract $15 LIST
- **Chrome**
  - Polish: Add $260 LIST
  - Satin: Add $356 LIST

DURACAST 4-POST X BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- (4) 4" x 4" steel plates
- Requires (16) #12-14 screws (not supplied)
- Subtops recommended on all two-piece tops

Base Height
- 27-3/4″

Adjustable Leveler
- 3/8-16 x 3/4″ long shank

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5247	2-1/4" Dia.	42" Sq / 60" Rd	38" x 38"	30 lbs.	636	631	628	625	623
5248	2-1/4" Dia.	48" Sq / 72" Rd	46" x 46"	32 lbs.	669	664	661	658	656
5249	2-1/4" Dia.	60" Sq / 84" Rd	58" x 58"	34 lbs.	716	711	708	705	703

OPTIONS

- **Unfinished/Raw**
  - Subtract $25 LIST
- **Chrome**
  - Polish: Stnd Ht: add $900 LIST, Taller Ht: add $990 LIST
  - Satin: Stnd Ht: add $986 LIST, Taller Ht: add $1076 LIST
- **Special Heights**
  - Shorter, add $90 LIST
  - Taller up to bar height, add $118 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $118 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $36 LIST
  - Soft Wheel: add prefix "D" to part #, add $48 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $37 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Leveler Extensions (Black)**
  - Add prefix "E" to part #, add $60 LIST



- **Wire Holes**
  - Add prefix "W" to part #, add $38 LIST
    - Wire holes will be added to (1) column
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed

DURACAST TRIPOD BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- Steel, 8" x 8"
- Requires (12) #12-14 screws (not supplied)

Base Height
- 27-3/4″

Adjustable Leveler
- 3/8-16 x 3/4″ long shank

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5240	2-1/4" Dia.	24" Rd	20-1/8"	15 lbs.	224	219	216	213	210
5242	2-1/4" Dia.	30" Rd	26"	15 lbs.	237	232	229	226	223
5244	2-1/4" Dia.	36" Rd	33-1/4"	16 lbs.	254	249	246	243	240

OPTIONS

- **Unfinished/Raw**
  - Subtract $8 LIST
- **Chrome**
  - Polish: Stnd Ht: add $240 LIST, Taller Ht: add $260 LIST
  - Satin: Stnd Ht: add $312 LIST, Taller Ht: add $332 LIST
- **Special Heights**
  - Shorter, add $35 LIST
  - Taller up to bar height, add $44 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $44 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $30 LIST
  - Soft Wheel: add prefix "D" to part #, add $38 LIST
- **Flip-Top**
  - Add prefix "FT" to the part #, add $145 LIST



- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $25 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Leveler Extensions (Black)**
  - Add prefix "E" to part #, add $60 LIST



- **Wire Management Cone**
  - Add prefix "W" to part #, add $168 LIST



- **Wire Management Box**
  - Add prefix "W" and suffix "-0005" to part #, add $205 LIST
  - (Example: W5240-0005)



DURACAST Y BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- Parts 5132 & 5134 use a 6" x 8" steel plate
  - Requires (6-8) #12-14 screws (not supplied)
- Part S5135 uses a 8" x 8" steel plate
  - Requires (12) #12-14 screws (not supplied)
- Part S5136 uses a 12" x 12" steel plate
  - Requires (12) #12-14 screws (not supplied)

Base Height
- 27-3/4″

Adjustable Leveler
- 3/8-16 x 3/4″ long shank

Finish
- Powder coat finish as standard

Shipping
- Parts 5132, 5134, & S5135 ship 2 per box (sold individually)
- Part S5136 ships 1 per box
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	Stretcher	1+	12+	26+	100+	250+
5132	2-1/4" Dia.	24"	17-1/2"	10 lbs.	Optional	177	172	169	167	165
5134	2-1/4" Dia.	30"	22-3/4"	11 lbs.	Optional	186	181	178	176	174
S5135	2-1/4" Dia.	36"	29"	12 lbs.	Required	229	224	221	219	217
S5136	2-1/4" Dia.	48"	33-3/8"	18 lbs.	Required	286	281	278	276	274

Stretchers listed on page 27

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Chrome**
  - Polish: Stnd Ht: add $235 LIST, Taller Ht: add $255 LIST
  - Satin: Stnd Ht: add $280 LIST, Taller Ht: add $300 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Modify to Accept Stretcher**
  - Add prefix "S" to part # (no additional charge)
- **Leveler Extensions (Black)**
  - Add prefix "E" to part #, add $30 LIST



- **Flip-Top w/ Handle Release**
  - Add prefix "H" to part #, add $128 LIST
  - Only available on parts 5132, 5134, & S5135
- **Wire Holes**
  - Add prefix "W" to part #, add $30 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed

DURACAST DOUBLE COLUMN Y BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- (2) 6" x 8" steel plates
- Requires (12-16) #12-14 screws (not supplied)

Base Height
- 27-3/4″

Adjustable Leveler
- 3/8-16 x 3/4″ long shank

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	Stretcher	1+	12+	26+	100+	250+
S5143	2-1/4" Dia.	48"	32"	20 lbs.	Required	380	360	350	345	340
S5144	2-1/4" Dia.	60"	38"	21 lbs.	Required	394	374	364	359	354
S5145	2-1/4" Dia.	72"	41"	22 lbs.	Required	405	385	375	370	365

Stretchers listed on page 27

OPTIONS

- **Unfinished/Raw**
  - Subtract $8 LIST
- **Chrome**
  - Polish: Stnd Ht: add $440 LIST, Taller Ht: add $465 LIST
  - Satin: Stnd Ht: add $488 LIST, Taller Ht: add $513 LIST
- **Special Heights**
  - Shorter, add $60 LIST
  - Taller up to bar height, add $74 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $74 LIST
- **Locking Casters**
  - Hard Wheel: add prefix “C” to part #, add $18 LIST
  - Soft Wheel: add prefix “D” to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Leveler Extensions (Black)**
  - Add prefix "E" to part #, add $30 LIST



- **Wire Holes** (specify if wire holes are needed in both columns)
  - Add prefix “W” to part #, add $38 LIST (per column)
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed

STRETCHER FOR DURACAST Y BASE



SPECS

Construction
- Aluminum Extrusion

Can be used on T & TT Bases
- Add prefix “S” to part #

Part #	Stretcher Length	Weight	List Price Painted Each	Polished / Satin Aluminum, add:
5095-3	34"	2 lbs.	128	78
5095-4	40"	2.5 lbs.	134	87
5095-5	50"	3 lbs.	152	96
5095-6	58"	3.75 lbs.	178	112
5095-7	64"	4 lbs.	185	124
5095-8	70"	4.5 lbs.	199	136
5095-9	76"	4.75 lbs.	206	140

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST

Not sure what stretcher to use? Below is a chart showing the depth of the "V" on each base. Still not sure, give us a call and we will assist.

- **Depth of Y bases (per base)**
  - S5132 = 5.39"
  - S5134 = 6.89"
  - S5135 = 8.60"
  - S5136 = 9.95"
- **Depth of Double Column Y (per base)**
  - S5143 = 9.42"
  - S5144 = 11.99"
  - S5145 = 13.75"

FUSION
COLLECTION

Fusion
combines a square column, rectangular foot, and wedge-shaped, color-matched plastic end caps to create a low-profile series with clean lines. With a wide range of styles, Fusion is able to accommodate a variety of applications.


T Bases / Page 29


TT Bases + Casters / Pages 32


X Base / Page 36

FUSION T BASE



SPECS

Construction
- Welded for maximum strength and stability

Tubing
- Column: 2" x 2" OD x 14ga
- Foot: 1" x 2-1/2" x 14ga

Mounting Plate
- Steel, 6" x 8"
- Requires (6-8) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" shank

Plastic End Caps:
- Wedge-shaped, color matched to Gibraltar standard powder coat finishes only
- **Call for availability on end caps in premium finishes**

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
2750	2" Sq	18"	16"	10 lbs.	173	161	155	151	149
2751	2" Sq	20"	18"	10 lbs.	175	163	157	153	151
2752	2" Sq	26"	22"	11 lbs.	181	169	163	159	157
2753	2" Sq	36"	26-1/4"	12 lbs.	191	179	173	169	167

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $16 LIST
  - Soft Wheel: add prefix "D" to part #, add $23 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Wire Holes**
  - Add prefix "W" to part #, add $38 LIST
  - (2) Holes are 1-1/2" x 2-1/4"

FUSION T BASE / FOLDING



SPECS

Construction
- Welded for maximum strength and stability
- Folding mechanism is mechanically attached to the base

Tubing
- Column: 2" x 2" OD x 14ga
- Foot: 1" x 2-1/2" x 14ga

Folding Mechanism
- Injection molded, aluminum and steel
- Requires (11) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" shank

End Caps
- Wedge-shaped, color matched to Gibraltar standard powder coat finishes only
- **Call for availability on end caps in premium finishes**

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
F2750	2" Sq	18"	16"	10 lbs.	337	325	319	315	313
F2751	2" Sq	20"	18"	10 lbs.	339	327	321	317	315
F2752	2" Sq	26"	22"	11 lbs.	345	333	327	323	321
F2753	2" Sq	36"	26-1/4"	12 lbs.	355	343	337	333	331

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $16 LIST
  - Soft Wheel: add prefix "D" to part #, add $23 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Wire Holes**
  - Add prefix "W" to part #, add $38 LIST
  - (2) Holes are 1-1/2" x 2-1/4"
- **Risers**
  - For tables shorter than 60", risers are needed on one leg.
  - To order, add prefix "R" to part #, add $64 LIST

FUSION T BASE / FLIP-TOP



*Shown with casters option added

SPECS

Construction
- Welded for maximum strength and stability
- Flip-Top mechanism is mechanically attached to the base

Tubing
- Column: 2" x 2" OD x 14ga
- Foot: 1" x 2-1/2" x 14ga

Flip-Top Mechanism
- Available in Silver and Black
  - Silver housings ship with silver and medium grey finishes.
  - Black housings ship with all other standard base finishes.
- Mechanism is injection molded, aluminum and steel
  - Requires (8) #12-14 screws (not supplied)
- Handle release is included and ships attached with standard length cables.
  - Requires (4) #12-14 screws (not supplied)
  - For tables longer than 60", please call for solutions

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" shank

End Caps
- Wedge-shaped, color matched to Gibraltar standard powder coat finishes only
- **Call for availability on end caps in premium finishes**

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
H2750	2" Sq	18"	16"	10 lbs.	295	283	277	273	271
H2751	2" Sq	20"	18"	10 lbs.	297	285	279	275	273
H2752	2" Sq	26"	22"	11 lbs.	303	291	285	281	279
H2753	2" Sq	36"	26-1/4"	12 lbs.	313	301	295	291	289

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $16 LIST
  - Soft Wheel: add prefix "D" to part #, add $23 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Wire Holes**
  - Add prefix "W" to part #, add $38 LIST
  - (2) Holes are 1-1/2" x 2-1/4"

FUSION TT BASE



SPECS

Construction
- Welded for maximum strength and stability

Tubing
- Column: 2" x 2" OD x 14ga
- Foot: 1" x 2-1/2" x 14ga

Mounting Plate
- (2) Steel, 6" x 8"
- Requires (12-16) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" shank

End Caps
- Wedge-shaped, color matched to Gibraltar standard powder coat finishes only
- **Call for availability on end caps in premium finishes**

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
2754	2" Sq	42"	32"	15 lbs.	313	291	281	275	271
2755	2" Sq	60"	38"	16 lbs.	321	299	289	283	279

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $58 LIST
  - Taller up to bar height, add $66 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $66 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $16 LIST
  - Soft Wheel: add prefix "D" to part #, add $23 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Wire Holes** (specify if wire holes are needed in both columns)
  - Add prefix "W" to part #, add $38 LIST (per column)
  - (2) Holes are 1-1/2" x 2-1/4"

FUSION C BASE



SPECS

Construction
- Welded for maximum strength and stability

Tubing
- Column: 2" x 2" OD x 14ga
- Foot: 1" x 2-1/2" x 14ga

Mounting Plate
- Steel, 6" x 8"
- Requires (6-8) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" shank

Plastic End Caps:
- Wedge-shaped, color matched to Gibraltar standard powder coat finishes only
- **Call for availability on end caps in premium finishes**

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
2757	2" Sq	20"	18"	10 lbs.	175	163	157	153	151
2758	2" Sq	26"	22"	11 lbs.	181	169	163	159	157
2759	2" Sq	32"	26-1/4"	12 lbs.	191	179	173	169	167

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $16 LIST
  - Soft Wheel: add prefix "D" to part #, add $23 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Wire Holes**
  - Add prefix "W" to part #, add $38 LIST
  - (2) Holes are 1-1/2" x 2-1/4"
  - Even quantities include left/right bases. For odd quantities, specify left or right hand

FUSION C BASE / FOLDING



SPECS

Construction
- Welded for maximum strength and stability
- Folding mechanism is mechanically attached to the base

Tubing
- Column: 2" x 2" OD x 14ga
- Foot: 1" x 2-1/2" x 14ga

Folding Mechanism
- Injection molded, aluminum and steel
- Requires (11) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" shank

End Caps
- Wedge-shaped, color matched to Gibraltar standard powder coat finishes only
- **Call for availability on end caps in premium finishes**

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
F2757	2" Sq	20"	18"	10 lbs.	339	327	321	317	315
F2758	2" Sq	26"	22"	11 lbs.	345	333	327	323	321
F2759	2" Sq	32"	26-1/4"	12 lbs.	355	343	337	333	331

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $16 LIST
  - Soft Wheel: add prefix "D" to part #, add $23 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Wire Holes**
  - Add prefix "W" to part #, add $38 LIST
  - (2) Holes are 1-1/2" x 2-1/4"
  - Even quantities include left/right bases. For odd quantities, specify left or right hand
- **Risers**
  - For tables shorter than 60", risers are needed on one leg.
  - To order, add prefix "R" to part #, add $64 LIST

FUSION C BASE / FLIP-TOP



SPECS

Construction
- Welded for maximum strength and stability
- Flip-Top mechanism is mechanically attached to the base

Tubing
- Column: 2" x 2" OD x 14ga
- Foot: 1" x 2-1/2" x 14ga

Flip-Top Mechanism
- Available in Silver and Black
  - Silver housings ship with silver and medium grey finishes.
  - Black housings ship with all other standard base finishes.
- Mechanism is injection molded, aluminum and steel
  - Requires (8) #12-14 screws (not supplied)
- Handle release is included and ships attached with standard length cables.
  - Requires (4) #12-14 screws (not supplied)
  - For tables longer than 60", please call for solutions

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" shank

End Caps
- Wedge-shaped, color matched to Gibraltar standard powder coat finishes only
- **Call for availability on end caps in premium finishes**

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
H2757	2" Sq	20"	18"	10 lbs.	297	285	279	275	273
H2758	2" Sq	26"	22"	11 lbs.	303	291	285	281	279
H2759	2" Sq	36"	26-1/4"	12 lbs.	313	301	295	291	289

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $16 LIST
  - Soft Wheel: add prefix "D" to part #, add $23 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Wire Holes**
  - Add prefix "W" to part #, add $38 LIST
  - (2) Holes are 1-1/2" x 2-1/4"
  - Even quantities include left/right bases. For odd quantities, specify left or right hand

FUSION X BASE



SPECS

Construction
- Rigid bolted and welded combination

Tubing
- Column: 2.5" x 2.5" OD x 14ga
- Foot: 1" x 2-1/2" x 14ga

Mounting Plate
- Parts 2770 and 2771 use a 8" x 8" steel plate
- Part 2772 uses a 12" x 12" steel plate
- Requires (12) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" shank

End Caps
- Wedge-shaped, color matched to Gibraltar standard powder coat finishes only
- **Call for availability on end caps in premium finishes**

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
2770	2.5" Sq	24" Sq / 24" Rd	22" x 22"	18 lbs.	455	440	430	425	420
2771	2.5" Sq	36" Sq / 36" Rd	28" x 28"	20 lbs.	466	451	441	436	431
2772	2.5" Sq	48" Sq / 60" Rd	38" x 38"	26 lbs.	525	510	500	495	490

OPTIONS

- **Unfinished/Raw**
  - Subtract $10 LIST
- **Special Heights**
  - Shorter, add $38 LIST
  - Taller up to bar height, add $56 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $56 LIST
- **Locking Casters**
  - Hard Wheel: add prefix “C” to part #, add $32 LIST
  - Soft Wheel: add prefix “D” to part #, add $46 LIST
- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $37 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Flip-Top**
  - Add prefix “FT” to part #, add $145 LIST
  - Maximum top size is 54" with levelers & 54" with casters



- **Power Box Wire Management**
  - Add prefix “W” and suffix "-0005" to part #, add $249 LIST
    - (Example: W2770-0005)



FUSION 4-POST X BASE



SPECS

Construction
- Rigid bolted and welded combination

Tubing
- Column: 2.5" x 2.5" OD x 14ga
- Foot: 1" x 2-1/2" x 14ga

Mounting Plate
- (4) 4" x 4" steel plates
- Requires (16) #12-14 screws (not supplied)
- Subtops recommended on all two-piece tops

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" shank

End Caps
- Wedge-shaped, color matched to Gibraltar standard powder coat finishes only
- **Call for availability on end caps in premium finishes**

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
2773	2" Sq	60" Sq / 60" Rd	43-3/4" x 43-3/4"	37 lbs.	806	756	741	731	726

OPTIONS

- **Unfinished/Raw**
  - Subtract $25 LIST
- **Special Heights**
  - Shorter, add $70 LIST
  - Taller up to bar height, add $95 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $95 LIST
- **Locking Casters**
  - Hard Wheel: Add prefix “C” to part #, add $60 LIST
  - Soft Wheel: Add prefix "D" to part #, add $74 LIST
- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $37 LIST
  - Self-Leveling glides do add approx. 5/8″ to base height
- **Wire Holes**
  - Add prefix "W" to part #, add $38 LIST
  - (2) Holes are 1-1/2" x 2-1/4"
  - Wire holes will be added to (1) column

OVAL
COLLECTION

Oval

offers an attractive and structurally robust base designed for a variety of environments. The distinct oval shaped column paired with the sleek rectangle foot creates a unqiue balance of soft curve and clean lines.




T Base / Page 39



C Base + Casters / Page 40

OVAL T BASE



SPECS

Construction
- Rigid bolted

Tubing
- Column: Aluminum Extrusion
- Foot: 1" x 2-1/2" x 14ga

Mounting Plate
- Parts 2618, 2622, and 2627 use a 6″ x 8″ steel plate
  - Requires (6-8) #12-14 screws (not supplied)
- Part 2634 uses a 12" x 12" steel plate
  - Requires (10) #12-14 screws (not supplied)

Tie Rod
- 1/2-13 threaded steel rod

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" shank

Plastic End Caps:
- Rounded, color matched to Gibraltar standard (non-premium) powder coat finishes only

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS


List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
2618	2" x 6"	18" - 22"	17"	12 lbs.	206	196	191	186	183
2622	2" x 6"	23" - 28"	22-1/4"	13 lbs.	208	198	193	188	185
2627	2" x 6"	29" - 38"	27-3/4"	14 lbs.	213	203	198	193	190
2634	2" x 6"	39" - 48"	38-3/4"	23 lbs.	328	318	313	308	305

OPTIONS

- **Unfinished/Raw**
  - Subtract $8 LIST
- **Special Heights**
  - Shorter, add $38 LIST
  - Taller up to bar height, add $54 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $54 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height

OVAL C BASE



SPECS

Construction
- Rigid bolted

Tubing
- Column: Aluminum Extrusion
- Foot: 1" x 2-1/2" x 14ga

Mounting Plate
- Steel, 6" x 8"
- Requires (6-8) #12-14 screws (not supplied)

Tie Rod
- 1/2-13 threaded steel rod

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" shank

Plastic End Caps:
- Rounded, color matched to Gibraltar standard (non-premium) powder coat finishes only

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
2620	2" x 6"	18" - 22"	17"	12 lbs.	206	196	191	186	183
2624	2" x 6"	23" - 28"	22-1/4"	13 lbs.	208	198	193	188	185
2630	2" x 6"	29" - 38"	27-3/4"	14 lbs.	213	203	198	193	190

OPTIONS

- **Unfinished/Raw**
  - Subtract $8 LIST
- **Special Heights**
  - Shorter, add $38 LIST
  - Taller up to bar height, add $54 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $54 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height

WIRE RACEWAY FOR OVAL BASE



SPECS

Construction
- Molded flexible / rigid vinyl; dual durometer provides a living hinge

Finish
- Black or Silver with vertical grooves running the length of the part

Attachment
- Attaches to base with double-sided tape

Shipping
- Sold individually
- Can be shipped via FedEx or UPS

List Price Each

Part #	Length	Size	Material	Application	1+	12+	26+	100+	250+
9002-0015	15"	1-3/4" x 1/2" (approx.)	HIPS	Caster / Modesty	32	25	22	20	19
9002-0017	17"	1-3/4" x 1/2" (approx.)	HIPS	Leveler / Modesty	34	27	24	22	21
9002-0024	24"	1-3/4" x 1/2" (approx.)	HIPS	Caster	36	29	26	24	23
9002-0025	25"	1-3/4" x 1/2" (approx.)	HIPS	Leveler	38	31	28	26	25

PROPEL
COLLECTION

Propel

features a **patented** angled base design that pairs distinctive aesthetics with versatile functionality. Available in multiple shapes and sizes to support diverse table applications. Contact us for sizing recommendations.



Y Bases / Stretchers / Pages 54-56



Occasional X Bases / Page 51



X Base + Flip-Top + Casters / Page 50

PROPEL T BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- Parts 5580, 5584, & 5588 use a 6" x 8" steel plate
  - Requires (6-8) #12-14 screws (not supplied)
- Part 5590 uses a 8" x 8" steel plate
  - Requires (8-12) #12-14 screws (not supplied)
- Part 5592 uses a 12" x 12" steel plate
  - Requires (8-12) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Parts 5580, 5584, 5588, and 5590 ship 2 per box (sold individually)
- Part 5592 ships 1 per box
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5580	2-1/4" Dia.	20"	15-1/4"	10 lbs.	156	151	148	146	144
5584	2-1/4" Dia.	26"	20"	11 lbs.	167	162	159	157	155
5588	2-1/4" Dia.	36"	26"	11 lbs.	176	171	168	166	164
5590	2-1/4" Dia.	42"	32-3/4"	12 lbs.	218	213	210	208	206
5592	2-1/4" Dia.	48"	38-1/4"	18 lbs.	278	273	270	268	266

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Chrome**
  - Polish: Stnd Ht: add $235 LIST, Taller Ht: add $255 LIST
  - Satin: Stnd Ht: add $280 LIST, Taller Ht: add $300 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $98 LIST
  - Adjustable spring clip in chrome: Quoted upon request
- **Wire Holes**
  - Add prefix "W" to part #, add $30 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed

PROPEL T BASE / FOLDING



SPECS

Construction
- Base is a bolted, welded combination
- Folding mechanism is mechanically attached to the base

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Folding Mechanism
- Injection molded, aluminum and steel
- Requires (11) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5560	2-1/4" Dia.	20"	15-1/4"	10 lbs.	320	315	312	310	308
5564	2-1/4" Dia.	26"	20"	11 lbs.	331	326	323	321	319
5566	2-1/4" Dia.	36"	26"	12 lbs.	340	335	332	330	328
5568	2-1/4" Dia.	42"	32-3/4"	12 lbs.	382	377	374	372	370

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Chrome**
  - Polish: Stnd Ht: add $235 LIST, Taller Ht: add $255 LIST
  - Satin: Stnd Ht: add $280 LIST, Taller Ht: add $300 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Risers**
  - For tables shorter than 60", risers are needed on one leg
  - Add prefix "R" to part #, add $64 LIST
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $98 LIST
  - Adjustable spring clip in chrome: Quoted upon request
- **Wire Holes**
  - Add prefix "W" to part #, add $30 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed

PROPEL T BASE / FLIP-TOP



SPECS

Construction
- Base is a bolted, welded combination
- Flip-Top mechanism is mechanically attached to the base

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Flip-Top Mechanism
- Available in Silver and Black
  - Silver housings ship with silver and medium grey finishes.
  - Black housings ship with all other standard base finishes.
- Mechanism is injection molded, aluminum and steel
  - Requires (8) #12-14 screws (not supplied)
- Handle release is included and ships attached with standard length cables.
  - Requires (4) #12-14 screws (not supplied)
  - For tables longer than 60", please call for solutions

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
H5550	2-1/4" Dia.	20"	15-1/4"	10 lbs.	278	273	270	268	266
H5554	2-1/4" Dia.	26"	20"	11 lbs.	289	284	281	279	277
H5556	2-1/4" Dia.	36"	26"	12 lbs.	298	293	290	288	286

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Chrome**
  - Polish: Stnd Ht: add $235 LIST, Taller Ht: add $255 LIST
  - Satin: Stnd Ht: add $280 LIST, Taller Ht: add $300 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $98 LIST
  - Adjustable spring clip in chrome: Quoted upon request
- **Wire Holes**
  - Add prefix "W" to part #, add $30 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed
- **Inline Nesting**
  - Add prefix "3030-" to part #, add $18 LIST
  - Bases mounted at a 30° angle

PROPEL TT BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- (2) Steel, 6" x 8"
- Requires (12-16) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 1 per box
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5596	2-1/4" Dia.	48" Rect / 60" Sq/Rd	34"	19 lbs.	323	318	315	313	311
5598	2-1/4" Dia.	60" Rect / 72" Sq/Rd	40"	20 lbs.	335	330	327	325	323

OPTIONS

- **Unfinished/Raw**
  - Subtract $8 LIST
- **Chrome**
  - Polish: Stnd Ht: add $440 LIST, Taller Ht: add $465 LIST
  - Satin: Stnd Ht: add $488 LIST, Taller Ht: add $513 LIST
- **Special Heights**
  - Shorter, add $60 LIST
  - Taller up to bar height, add $74 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $74 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $156 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $196 LIST
  - Adjustable spring clip in chrome: Quoted upon request
- **Wire Holes** (specify if wire holes are needed in both columns)
  - Add prefix "W" to part #, add $30 LIST (per column)
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed
- **Folding Option**
  - Add prefix "F" to part #, add $350 LIST
    - Allows for legs to be folded for quick & easy storage
  - Risers required on 60" round tables or smaller & rectangle tops shorter than 60"
    - Add prefix "R" to part #, add $128 LIST

PROPEL C BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- Steel, 6" x 8"
- Requires (6-8) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5615	2-1/4" Dia.	20"	15-1/8"	10 lbs.	156	151	148	146	144
5622	2-1/4" Dia.	26"	21-1/2"	11 lbs.	167	162	159	157	155
5626	2-1/4" Dia.	32"	26-3/8"	11 lbs.	176	171	168	166	164

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Chrome**
  - Polish: Stnd Ht: add $235 LIST, Taller Ht: add $255 LIST
  - Satin: Stnd Ht: add $280 LIST, Taller Ht: add $300 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $98 LIST
  - Adjustable spring clip in chrome: Quoted upon request
- **Wire Holes**
  - Add prefix "W" to part #, add $30 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed
  - Even quantities include left/right bases. For odd quantities, specify left or right hand

PROPEL C BASE / FOLDING



SPECS

Construction
- Base is a bolted, welded combination
- Folding mechanism is mechanically attached to the base

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Folding Mechanism
- Injection molded, aluminum and steel
- Requires (11) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5660	2-1/4" Dia.	20"	15-1/8"	10 lbs.	320	315	312	310	308
5664	2-1/4" Dia.	26"	21-1/2"	11 lbs.	331	326	323	321	319
5668	2-1/4" Dia.	32"	26-3/8"	12 lbs.	340	335	332	330	328

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Chrome**
  - Polish: Stnd Ht: add $235 LIST, Taller Ht: add $255 LIST
  - Satin: Stnd Ht: add $280 LIST, Taller Ht: add $300 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Risers**
  - For tables shorter than 60", risers are needed on one leg
  - Add prefix "R" to part #, add $64 LIST
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $98 LIST
  - Adjustable spring clip in chrome: Quoted upon request
- **Wire Holes**
  - Add prefix "W" to part #, add $30 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed
  - Even quantities include left/right bases. For odd quantities, specify left or right hand

PROPEL C BASE / FLIP-TOP



SPECS

Construction
- Base is a bolted, welded combination
- Flip-Top mechanism is mechanically attached to the base

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Flip-Top Mechanism
- Available in Silver and Black
  - Silver housings ship with silver and medium grey finishes.
  - Black housings ship with all other standard base finishes.
- Mechanism is injection molded, aluminum and steel
  - Requires (8) #12-14 screws (not supplied)
- Handle release is included and ships attached with standard length cables.
  - Requires (4) #12-14 screws (not supplied)
  - For tables longer than 60", please call for solutions

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
H5650	2-1/4" Dia.	20"	15-1/4"	10 lbs.	278	273	270	268	266
H5654	2-1/4" Dia.	26"	21-1/2"	11 lbs.	289	284	281	279	277
H5658	2-1/4" Dia.	32"	26-3/8"	12 lbs.	298	293	290	288	286

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Chrome**
  - Polish: Stnd Ht: add $235 LIST, Taller Ht: add $255 LIST
  - Satin: Stnd Ht: add $280 LIST, Taller Ht: add $300 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $98 LIST
  - Adjustable spring clip in chrome: Quoted upon request
- **Wire Holes**
  - Add prefix "W" to part #, add $30 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed
  - Even quantities include left/right bases. For odd quantities, specify left or right hand

PROPEL X BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- Steel, 8″ x 8″ and 12" x 12"
- Requires (12) #12-14 screws (not supplied)

Base Height
- 27-3/4″

Adjustable Leveler
- 3/8-16 x 3/4″ long shank

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5720	2-1/4" Dia.	24" Sq / 24" Rd	20" x 20"	16 lbs.	263	258	255	252	250
5726	2-1/4" Dia.	30" Sq / 36" Rd	26" x 26"	16 lbs.	281	276	273	270	268
5733	2-1/4" Dia.	36" Sq / 42" Rd	32-3/4" x 32-3/4"	17 lbs.	306	301	298	295	293
5738	2-1/4" Dia.	42" Sq / 54" Rd	38-1/4" x 38-1/4"	23 lbs.	375	370	367	364	362
5720-5726	2-1/4" Dia.	24" x 30"	20" x 26"	16 lbs.	279	274	271	268	266
5720-5733	2-1/4" Dia.	24" x 36"	20" x 32-3/4"	16 lbs.	284	279	276	273	271
5720-5738	2-1/4" Dia.	24" x 42"	20" x 38-1/4"	22 lbs.	339	334	331	328	326
5726-5733	2-1/4" Dia.	30" x 36"	26" x 32-3/4"	17 lbs.	296	291	288	285	283
5726-5738	2-1/4" Dia.	30" x 42"	26" x 38-1/4"	22 lbs.	357	352	349	346	344
5733-5738	2-1/4" Dia.	36" x 42"	32-3/4" x 38-1/4"	23 lbs.	365	360	357	354	352

OPTIONS

- **Unfinished/Raw**
  - Subtract $10 LIST
- **Chrome**
  - Polish: Stnd Ht: add $260 LIST, Taller Ht: add $280 LIST
  - Satin: Stnd Ht: add $356 LIST, Taller Ht: add $376 LIST
- **Special Heights**
  - Shorter, add $35 LIST
  - Taller up to bar height, add $50 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $50 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $36 LIST
  - Soft Wheel: add prefix "D" to part #, add $48 LIST
- **Flip-Top**
  - Add prefix "FT", add $145 LIST
  - Maximum top size is 48" with levelers & 46" with casters



- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $37 LIST
  - Self-Leveling glides do add approx. 1/2″ to base height
- **Adjustable Spring Clip**
  - Height range 24-3/4″ - 33-3/4″: add prefix "AH" to part #, add $150 LIST
  - Height range 27-3/4″ - 40-3/4″: add prefix "AHB" to part #, add $165 LIST
  - Adjustable spring clip in chrome: Not available
- **Wire Management Cone**
  - Add prefix "W" to part #, add $168 LIST



- **Wire Management Box**
  - Add prefix "W" and suffix "-0005" to part #, add $205 LIST
  - (Example: W5738-0005)



OCCASIONAL X BASE: PROPEL SERIES



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- Steel, 8″ x 8″
- Requires (12) #12-14 screws (not supplied)

Adjustable Leveler
- 3/8-16 x 3/4″ long shank

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Height	Weight	1+	12+	26+	100+	250+
1305-1001	2-1/4" Dia.	20" Rd	15-1/4" x 15-1/4"	15"	14 lbs.	270	265	262	259	257
1305-1002	2-1/4" Dia.	20" Rd	15-1/4" x 15-1/4"	17"	14 lbs.	270	265	262	259	257
1305-1003	2-1/4" Dia.	20" Rd	15-1/4" x 15-1/4"	19"	14 lbs.	270	265	262	259	257
1305-1006	2-1/4" Dia.	24" Sq / Rd	20" x 20"	15"	15 lbs.	273	268	265	262	260
1305-1007	2-1/4" Dia.	24" Sq / Rd	20" x 20"	17"	15 lbs.	273	268	265	262	260
1305-1008	2-1/4" Dia.	24" Sq / Rd	20" x 20"	19"	15 lbs.	273	268	265	262	260
1305-1011	2-1/4" Dia.	30" Sq / 36" Rd	26" x 26"	15"	16 lbs.	291	286	283	280	278
1305-1012	2-1/4" Dia.	30" Sq / 36" Rd	26" x 26"	17"	16 lbs.	291	286	283	280	278
1305-1013	2-1/4" Dia.	30" Sq / 36" Rd	26" x 26"	19"	16 lbs.	291	286	283	280	278
1305-1016	2-1/4" Dia.	36" Sq / 42" Rd	32-3/4" x 32-3/4"	15"	17 lbs.	316	311	308	305	303
1305-1017	2-1/4" Dia.	36" Sq / 42" Rd	32-3/4" x 32-3/4"	17"	17 lbs.	316	311	308	305	303
1305-1018	2-1/4" Dia.	36" Sq / 42" Rd	32-3/4" x 32-3/4"	19"	17 lbs.	316	311	308	305	303
1305-1021	2-1/4" Dia.	42" Sq / 48" Rd	38-1/4" x 38-1/4"	15"	19 lbs.	368	363	360	357	355
1305-1022	2-1/4" Dia.	42" Sq / 48" Rd	38-1/4" x 38-1/4"	17"	19 lbs.	368	363	360	357	355
1305-1023	2-1/4" Dia.	42" Sq / 48" Rd	38-1/4" x 38-1/4"	19"	19 lbs.	368	363	360	357	355

OPTIONS

- **Unfinished/Raw**
  - Subtract $10 LIST
- **Chrome**
  - Polish: Add $260 LIST
  - Satin: Add $356 LIST

PROPEL 4-POST X BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- (4) 4" x 4" steel plates
- Requires (16) #12-14 screws (not supplied)
- Subtops recommended on all two-piece tops

Base Height
- 27-3/4″

Adjustable Leveler
- 3/8-16 x 3/4″ long shank

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5747	2-1/4" Dia.	42" Sq / 60" Rd	38" x 38"	30 lbs.	664	659	654	649	647
5748	2-1/4" Dia.	48" Sq / 72" Rd	46" x 46"	32 lbs.	699	694	689	684	682
5749	2-1/4" Dia.	60" Sq / 84" Rd	58" x 58"	34 lbs.	724	719	714	709	707

OPTIONS

- **Unfinished/Raw**
  - Subtract $25 LIST
- **Chrome**
  - Polish: Stnd Ht: add $900 LIST, Taller Ht: add $990 LIST
  - Satin: Stnd Ht: add $996 LIST, Taller Ht: add $1086 LIST
- **Special Heights**
  - Shorter, add $90 LIST
  - Taller up to bar height, add $118 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $118 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $36 LIST
  - Soft Wheel: add prefix "D" to part #, add $48 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $37 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Wire Holes**
  - Add prefix "W" to part #, add $38 LIST
    - Wire holes will be added to (1) column
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed

PROPEL TRIPOD BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- Steel, 8" x 8"
- Requires (12) #12-14 screws (not supplied)

Base Height
- 27-3/4″

Adjustable Leveler
- 3/8-16 x 3/4″ long shank

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
5740	2-1/4" Dia.	24" Rd	20-1/8"	15 lbs.	235	230	227	224	221
5742	2-1/4" Dia.	30" Rd	26"	15 lbs.	248	243	240	237	234
5744	2-1/4" Dia.	36" Rd	32-3/4"	16 lbs.	265	260	257	254	251

OPTIONS

- **Unfinished/Raw**
  - Subtract $8 LIST
- **Chrome**
  - Polish: Stnd Ht: add $240 LIST, Taller Ht: add $260 LIST
  - Satin: Stnd Ht: add $312 LIST, Taller Ht: add $332 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $44 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $44 LIST
- **Locking Casters**
  - Hard Wheel: add prefix “C” to part #, add $30 LIST
  - Soft Wheel: add prefix “D” to part #, add $38 LIST
- **Flip-Top**
  - Add prefix “FT” to the part #, add $145 LIST



- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $30 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Wire Management Cone**
  - Add prefix “W” to part #, add $168 LIST



- **Wire Management Box**
  - Add prefix “W” and suffix "-0005" to part #, add $205 LIST
  - (Example: W5740-0005)



PROPEL Y BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- Parts 5632 & 5634 use a 6" x 8" steel plate
  - Requires (6-8) #12-14 screws (not supplied)
- Part S5635 uses a 8" x 8" steel plate
  - Requires (12) #12-14 screws (not supplied)
- Part S5636 uses a 12" x 12" steel plate
  - Requires (12) #12-14 screws (not supplied)

Base Height
- 27-3/4″

Adjustable Leveler
- 3/8-16 x 3/4″ long shank

Finish
- Powder coat finish as standard

Shipping
- Parts 5632, 5634, & S5635 ship 2 per box (sold individually)
- Part S5636 ships 1 per box
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	Stretcher	1+	12+	26+	100+	250+
5632	2-1/4" Dia.	24"	17-1/2"	10 lbs.	Optional	186	181	178	176	174
5634	2-1/4" Dia.	30"	22-3/4"	11 lbs.	Optional	194	189	186	184	182
S5635	2-1/4" Dia.	36"	29"	12 lbs.	Required	239	234	231	229	227
S5636	2-1/4" Dia.	48"	33-3/8"	18 lbs.	Required	293	288	285	283	281

Stretchers listed on page 56

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Chrome**
  - Polish: Stnd Ht: add $235 LIST, Taller Ht: add $255 LIST
  - Satin: Stnd Ht: add $280 LIST, Taller Ht: add $300 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Modify to Accept Stretcher**
  - Add prefix "S" to part # (no additional charge)
- **Flip-Top w/ Handle Release**
  - Add prefix "H" to part #, add $128 LIST
  - Only available on parts 5632, 5634, & S5635
- **Wire Holes**
  - Add prefix "W" to part #, add $30 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed

PROPEL DOUBLE COLUMN Y BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- Column: 2-1/4" OD x 13ga
- Feet: Cast Aluminum

Mounting Plate
- (2) 6" x 8" steel plates
- Requires (12-16) #12-14 screws (not supplied)

Base Height
- 27-3/4″

Adjustable Leveler
- 3/8-16 x 3/4″ long shank

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	Stretcher	1+	12+	26+	100+	250+
S5643	2-1/4" Dia.	48"	32"	20 lbs.	Required	389	369	359	354	349
S5644	2-1/4" Dia.	60"	38"	21 lbs.	Required	403	383	373	368	363
S5645	2-1/4" Dia.	72"	41"	22 lbs.	Required	409	389	379	374	369

Stretchers listed on page 56

OPTIONS

- **Unfinished/Raw**
  - Subtract $8 LIST
- **Chrome**
  - Polish: Stnd Ht: add $440 LIST, Taller Ht: add $465 LIST
  - Satin: Stnd Ht: add $488 LIST, Taller Ht: add $513 LIST
- **Special Heights**
  - Shorter, add $60 LIST
  - Taller up to bar height, add $74 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $74 LIST
- **Locking Casters**
  - Hard Wheel: add prefix "C" to part #, add $18 LIST
  - Soft Wheel: add prefix "D" to part #, add $24 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 1/2" to base height
- **Wire Holes** (specify if wire holes are needed in both columns)
  - Add prefix "W" to part #, add $38 LIST (per column)
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed

STRETCHER FOR PROPEL Y BASE



SPECS

Construction
- Aluminum Extrusion

Can be used on T & TT Bases
- Add prefix “S” to part #

Part #	Stretcher Length	Weight	List Price Painted Each	Polished / Satin Aluminum, add:
5795-3	34"	2 lbs.	147	80
5795-4	40"	2.5 lbs.	153	89
5795-5	50"	3 lbs.	176	98
5795-6	58"	3.75 lbs.	194	114
5795-7	64"	4 lbs.	201	126
5795-8	70"	4.5 lbs.	227	138
5795-9	76"	4.75 lbs.	250	142

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST

Not sure what stretcher to use? Below is a chart showing the depth of the "V" on each base. Still not sure, give us a call and we will assist.

- **Depth of Y bases (per base)**
  - S5632 = 5.39"
  - S5634 = 6.89"
  - S5635 = 8.57"
  - S5636 = 9.95"
- **Depth of Double Column Y (per base)**
  - S5643 = 9.42"
  - S5644 = 11.80"
  - S5645 = 13.75"

ROVE
COLLECTION

Rove

showcases a **patented** parabolic base shape that combines elegant design with robust functionality. Optional features include flip-top, folding mechanisms, wire management, and spring-clip adjustment. Durable 3" casters ensure smooth mobility while withstanding demanding environments.



X Base + Wire Management Box / Page 61



Flip-Top T Bases + Soft Casters / Page 60

ROVE T BASE



SPECS

Construction
- Rigid bolted and welded construction

Tubing
- Column: 2" OD x 14ga
- Foot: Fabricated Steel

Mounting Plate
- Steel, 6" x 8"
- Requires (6-8) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16" x 3/4″ shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
2820	2" Dia.	20"	16"	11 lbs.	259	242	232	226	223
2821	2" Dia.	24"	20"	12 lbs.	271	254	244	238	235
2822	2" Dia.	36"	26"	14 lbs.	286	269	259	253	250

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $38 LIST
- **Locking Casters (3")**
  - Soft Wheel: add prefix “C” to part #, add $39 LIST
  - Silver casters ship with Silver and Medium Grey bases, Black casters ship with all other finishes
- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix “AH” to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix “AHB” to part #, add $98 LIST
- **Wire Holes**
  - Add prefix “W” to part #, add $38 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed

ROVE T BASE / FOLDING



SPECS

Construction
- Rigid bolted and welded construction
- Folding mechanism is mechanically attached to the base

Tubing
- Column: 2" OD x 14ga
- Foot: Fabricated Steel

Folding Mechanism
- Injection molded, aluminum and steel
- Requires (11) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16″ x 3/4" shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
F2820	2" Dia.	20"	16"	11 lbs.	423	406	396	390	387
F2821	2" Dia.	24"	20"	12 lbs.	435	418	408	402	399
F2822	2" Dia.	36"	26"	14 lbs.	450	433	423	417	414

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters (3")**
  - Soft Wheel: add prefix "C" to part #, add $39 LIST
  - Silver casters ship with Silver and Medium Grey bases, Black casters ship with all other finishes
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $98 LIST
- **Wire Holes**
  - Add prefix "W" to part #, add $38 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed
- **Risers**
  - For tables shorter than 60", risers are needed on one leg
    - To order, add prefix "R" to part #, add $64 LIST

ROVE T BASE / FLIP-TOP



*Shown with casters option added

SPECS

Construction
- Rigid bolted and welded combination
- Flip-Top mechanism is mechanically attached to the base

Tubing
- Column: 2" OD x 14ga
- Foot: Fabricated Steel

Flip-Top Mechanism
- Available in Silver and Black
  - Silver housings ship with silver and medium grey finishes.
  - Black housings ship with all other standard base finishes.
- Mechanism is injection molded, aluminum and steel
  - Requires (8) #12-14 screws (not supplied)
- Handle release is included and ships attached with standard length cables.
  - Requires (4) #12-14 screws (not supplied)
  - For tables longer than 60", please call for solutions

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16" x 3/4″ shank

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
H2820	2" Dia.	22"	16"	11 lbs.	381	364	354	348	345
H2821	2" Dia.	24"	20"	12 lbs.	393	376	366	360	357
H2822	2" Dia.	36"	26"	14 lbs.	408	391	381	375	372

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters (3")**
  - Soft Wheel: add prefix "C" to part #, add $39 LIST
  - Silver casters ship with Silver and Medium Grey bases, Black casters ship with all other finishes
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $98 LIST
- **Wire Holes**
  - Add prefix "W" to part #, add $38 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed

ROVE X BASE



SPECS

Construction
- Rigid bolted and welded combination

Tubing
- Column: 3" OD x 16ga
- Foot: Fabricated Steel

Mounting Plate
- Fabricated steel 8" x 8" and 12" x 12"
- Requires (12) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16" x 3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

Patented Base

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
2829	3" Dia.	24" Sq / 24" Rd	22" x 22"	24 lbs.	582	557	537	532	527
2830	3" Dia.	30" Sq / 36" Rd	26" x 26"	25 lbs.	587	562	542	537	532
2831	3" Dia.	36" Sq / 42" Rd	32" x 32"	28 lbs.	592	567	547	542	537
2832	3" Dia.	42" Sq / 60" Rd	38" x 38"	32 lbs.	669	644	624	619	614

OPTIONS

- **Unfinished/Raw**
  - Subtract $10 LIST
- **Special Heights**
  - Shorter, add $40 LIST
  - Taller up to bar height, add $54 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $54 LIST
- **Locking Casters (3")**
  - Soft Wheel: add prefix “C” to part #, add $78 LIST
  - Silver casters ship with Silver and Medium Grey bases, Black casters ship with all other finishes
- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $37 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Flip-Top**
  - Add prefix “FT” to part #, add $145 LIST
  - Maximum top size is 54" with levelers & 52" with casters



- **Power Box Wire Management**
  - A steel box mounting plate with a 9.6" x 9.6" x 2.75" tall I.D. allows room for a power module to be concealed. Wire and plug travel down the inside of the column and out a hole near the bottom of the column. Box is powder-coated to match the base.
  - Hole in column is 1.5″ diameter.
  - Add prefix “W” and suffix "-0005" to part #, add $255 LIST
    - Example: W2831-0005



TUBULAR
COLLECTION

Tubular

offers economical solutions with multiple configurations, including folding and flip-top options for tops that are various shapes and sizes.



4-Post X Base / Page 71



Folding T Bases / Pages 64



X Base + Flip-Top + Casters / Page 70

TUBULAR T BASE



SPECS

Construction
- Welded for maximum strength and stability

Tubing
- 2" OD x 14ga

Mounting Plate
- Parts 7016, 7018, 7022, and 7026 use a 6″ x 8″ steel plate
  - Requires (6-8) #12-14 screws (not supplied)
- Part 7032 uses a 8" x 8" steel plate
  - Requires (8-12) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 1/4-20 x 1-3/4″ long shank

End Caps
- Welded and polished to look like solid steel
- Optional high impact plastic end caps available

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
7016	2" Dia.	16" - 18"	16"	10 lbs.	140	134	131	129	127
7018	2" Dia.	19" - 22"	18"	10 lbs.	143	137	134	132	130
7022	2" Dia.	23" - 30"	22"	11 lbs.	145	139	136	134	132
7026	2" Dia.	30" - 36"	26"	12 lbs.	151	145	142	140	138
7032	2" Dia.	36" - 42"	32"	16 lbs.	181	175	172	170	168

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Polished or Satin Chrome**
  - Quoted upon request
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix “C” to part #, add $14 LIST
  - Soft Wheel: add prefix “D” to part #, add $21 LIST
- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Economy: High Impact Plastic End Caps**
  - Add prefix "PC" to part #, subtract $8 LIST
  - Only available in black or silver
- **Concealed Wheel**
  - Add prefix "N" to part #, add $75 LIST
  - End caps are only available in black or silver
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix “AH” to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix “AHB” to part #, add $98 LIST
- **Wire Holes**
  - Add prefix “W” to part #, add $38 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed

TUBULAR T BASE / FOLDING



SPECS

Construction
- Welded for maximum strength and stability
- Folding mechanism is mechanically attached to the base

Tubing
- 2" OD x 14ga

Folding Mechanism
- Injection molded, aluminum and steel
- Requires (11) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 1/4-20 x 1-3/4" long shank

End Caps
- Welded and polished to look like solid steel
- Optional high impact plastic end caps available

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
7730	2" Dia.	16" - 18"	16"	10 lbs.	304	298	295	293	291
7731	2" Dia.	19" - 22"	18"	10 lbs.	306	300	297	295	293
7732	2" Dia.	23" - 30"	22"	11 lbs.	309	303	300	298	296
7733	2" Dia.	30" - 36"	26"	12 lbs.	315	309	306	304	302
7734	2" Dia.	36" - 42"	32"	16 lbs.	345	339	336	334	332

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix “C” to part #, add $14 LIST
  - Soft Wheel: add prefix “D” to part #, add $21 LIST
- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Risers**
  - For tables shorter than 60″, risers are needed on one leg.
  - To order, add prefix “R” to part #, add $64 LIST
- **Economy: High Impact Plastic End Caps**
  - Add prefix "PC" to part #, subtract $8 LIST
  - Only available in black or silver
- **Adjustable Spring Clip**
  - Height range 24-3/4″ - 33-3/4″: add prefix “AH” to part #, add $78 LIST
  - Height range 27-3/4″ - 40-3/4″: add prefix “AHB” to part #, add $98 LIST
- **Wire Holes**
  - Includes (2) 1-1/4″ removable grommets
  - Holes are 1-1/2″ x 2-1/4″ with grommets removed
  - Add prefix “W” to part #, add $38 LIST

TUBULAR T BASE / FLIP-TOP



SPECS

Construction
- Welded for maximum strength and stability
- Flip-Top mechanism is mechanically attached to the base

Tubing
- 2" OD x 14ga

Flip-Top Mechanism
- Available in Silver and Black
  - Silver housings ship with silver and medium grey finishes.
  - Black housings ship with all other standard base finishes.
- Mechanism is injection molded, aluminum and steel
  - Requires (8) #12-14 screws (not supplied)
- Handle release is included and ships attached with standard length cables.
  - Requires (4) #12-14 screws (not supplied)
  - For tables longer than 60", please call for solutions

Base Height
- 27-3/4"

Adjustable Leveler
- 1/4-20 x 1-3/4" long shank

End Caps
- Welded and polished to look like solid steel
- Optional high impact plastic end caps available

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
H7716	2" Dia.	16" - 18"	16"	10 lbs.	262	256	253	251	249
H7718	2" Dia.	19" - 22"	18"	11 lbs.	264	258	255	253	251
H7722	2" Dia.	23" - 30"	22"	11 lbs.	267	261	258	256	254
H7726	2" Dia.	30" - 36"	26"	12 lbs.	273	267	264	262	260

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Polished or Satin Chrome**
  - Quoted upon request
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: Add prefix "C" to part #, add $14 LIST
  - Soft Wheel: Add prefix "D" to part #, add $21 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8″ to base height

Economy: High Impact Plastic End Caps
  - Add prefix "PC" to part #, subtract $8 LIST
  - Only available in black or silver
- **Concealed Wheel**
  - Add prefix "N" to part #, add $75 LIST
  - End caps are only available in black or silver
- **Adjustable Spring Clip**
  - Height range 24-3/4″ - 33-3/4″: add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4″ - 40-3/4″: add prefix "AHB" to part #, add $98 LIST
- **Wire Holes**
  - Add prefix "W" to part #, add $38 LIST
  - Includes (2) 1-1/4″ removable grommets
  - Holes are 1-1/2″ x 2-1/4″ with grommets removed
- **Inline Nesting**
  - Bases mounted at a 30° angle: add prefix "3030" to part #, add $18 LIST

TUBULAR TT BASE



SPECS

Construction
- Rigid bolted

Tubing
- Column: 2" OD x 14ga
- Foot: 1-3/8" OD x 13ga

Mounting Plate
- (2) 6" x 8" steel plates
- Requires (12-16) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 1-3/8" dia. x 1/4-20 x 5/8" shank

End Caps
- Welded and polished to look like solid steel
- Optional high impact plastic end caps available

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
7034	2" Dia.	42"	30"	21 lbs.	251	246	243	241	239
7036	2" Dia.	60"	36"	22 lbs.	256	251	248	246	244
7042	2" Dia.	72"	42"	24 lbs.	276	271	268	266	264

OPTIONS

- **Unfinished/Raw**
  - Subtract $8 LIST
- **Polished or Satin Chrome**
  - Quoted upon request
- **Special Heights**
  - Shorter, add $60 LIST
  - Taller up to bar height, add $74 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $74 LIST
- **Locking Casters**
  - Hard Wheel: Add prefix “C” to part #, add $22 LIST
  - Soft Wheel: Add prefix "D" to part #, add $29 LIST
- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8″ to base height
- **Economy: High Impact Plastic End Caps**
  - Add prefix "PC" to part #, subtract $8 LIST
  - Only available in black or silver
- **Folding Option**
  - Add prefix "F" to part #, add $380 LIST
    - Fold tables for quick and easy storage.
  - Tables shorter than 60" require risers on one leg
    - To order, add prefix “R” to part #, add $128 LIST

TUBULAR C BASE



SPECS

Construction
- Welded for maximum strength and stability

Tubing
- 2" OD x 14ga

Mounting Plate
- Steel, 6" x 8"
- Requires (6-8) screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 1/4-20 x 1-3/4″ long shank

End Caps
- Welded and polished to look like solid steel
- Optional high impact plastic end caps available

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
7118	2" Dia.	18" - 22"	18"	11 lbs.	142	136	133	131	129
7122	2" Dia.	23" - 26"	22"	12 lbs.	145	139	136	134	132
7126	2" Dia.	27" - 32"	26"	13 lbs.	151	145	142	140	138

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Polished or Satin Chrome**
  - Quoted upon request
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix “C” to part #, add $14 LIST
  - Soft Wheel: add prefix “D” to part #, add $21 LIST
- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Economy: High Impact Plastic End Caps**
  - Add prefix "PC" to part #, subtract $8 LIST
  - Only available in black or silver
- **Concealed Wheel**
  - Add prefix "N" to part #, add $75 LIST
  - End caps are only available in black or silver
- **Adjustable Spring Clip**
  - Height range 24-3/4" - 33-3/4": add prefix “AH” to part #, add $78 LIST
  - Height range 27-3/4" - 40-3/4": add prefix “AHB” to part #, add $98 LIST
- **Wire Holes**
  - Add prefix “W” to part #, add $38 LIST
  - Includes (2) 1-1/4" removable grommets
  - Holes are 1-1/2" x 2-1/4" with grommets removed
  - Even quantities include left/right bases. For odd quantities, specify left or right hand

TUBULAR C BASE / FOLDING



SPECS

Construction
- Welded for maximum strength and stability
- Folding mechanism is mechanically attached to the base

Tubing
- 2" OD x 14ga

Folding Mechanism
- Injection molded, aluminum and steel
- Requires (11) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 1/4-20 x 1-3/4" long shank

End Caps
- Welded and polished to look like solid steel
- Optional high impact plastic end caps available

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
F7118	2" Dia.	19" - 22"	18"	11 lbs.	306	300	297	295	293
F7122	2" Dia.	23" - 30"	22"	12 lbs.	309	303	300	298	296
F7126	2" Dia.	27" - 32"	26"	13 lbs.	315	309	306	304	302

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: add prefix “C” to part #, add $14 LIST
  - Soft Wheel: add prefix “D” to part #, add $21 LIST
- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Risers**
  - For tables shorter than 60″, risers are needed on one leg.
  - To order, add prefix “R” to part #, add $64 LIST
- **Economy: High Impact Plastic End Caps**
  - Add prefix "PC" to part #, subtract $8 LIST
  - Only available in black or silver
- **Adjustable Spring Clip**
  - Height range 24-3/4″ - 33-3/4″: add prefix “AH” to part #, add $78 LIST
  - Height range 27-3/4″ - 40-3/4″: add prefix “AHB” to part #, add $98 LIST
- **Wire Holes**
  - Includes (2) 1-1/4″ removable grommets
  - Holes are 1-1/2″ x 2-1/4″ with grommets removed
  - Add prefix “W” to part #, add $38 LIST
  - Even quantities include left/right bases. For odd quantities, specify left or right hand

TUBULAR C BASE / FLIP-TOP



SPECS

Construction
- Welded for maximum strength and stability
- Flip-Top mechanism is mechanically attached to the base

Tubing
- 2" OD x 14ga

Flip-Top Mechanism
- Available in Silver and Black
  - Silver housings ship with silver and medium grey finishes.
  - Black housings ship with all other standard base finishes.
- Mechanism is injection molded, aluminum and steel
  - Requires (8) #12-14 screws (not supplied)
- Handle release is included and ships attached with standard length cables.
  - Requires (4) #12-14 screws (not supplied)
  - For tables longer than 60", please call for solutions

Base Height
- 27-3/4"

Adjustable Leveler
- 1/4-20 x 1-3/4" long shank

End Caps
- Welded and polished to look like solid steel
- Optional high impact plastic end caps available

Finish
- Powder coat finish as standard

Shipping
- Parts ship 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
H7118	2" Dia.	19" - 22"	18"	11 lbs.	264	258	255	253	251
H7122	2" Dia.	23" - 30"	22"	12 lbs.	267	261	258	256	254
H7126	2" Dia.	30" - 32"	26"	13 lbs.	273	267	264	262	260

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Polished or Satin Chrome**
  - Quoted upon request
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height, add $38 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #, add $38 LIST
- **Locking Casters**
  - Hard Wheel: Add prefix "C" to part #, add $14 LIST
  - Soft Wheel: Add prefix "D" to part #, add $21 LIST
- **Self-Leveling Glides**
  - Add prefix "K" to part #, add $22 LIST
  - Self-Leveling glides do add approx. 5/8″ to base height
- **Economy: High Impact Plastic End Caps**
  - Add prefix "PC" to part #, subtract $8 LIST
  - Only available in black or silver
- **Concealed Wheel**
  - Add prefix "N" to part #, add $75 LIST
  - End caps are only available in black or silver
- **Adjustable Spring Clip**
  - Height range 24-3/4″ - 33-3/4″: add prefix "AH" to part #, add $78 LIST
  - Height range 27-3/4″ - 40-3/4″: add prefix "AHB" to part #, add $98 LIST
- **Wire Holes**
  - Add prefix "W" to part #, add $38 LIST
  - Includes (2) 1-1/4″ removable grommets
  - Holes are 1-1/2″ x 2-1/4″ with grommets removed
  - Even quantities include left/right bases. For odd quantities, specify left or right hand

TUBULAR X BASE



SPECS

Construction
- Rigid bolted

Tubing
- Column: 3" & 4" tubing, 16ga wall
- Foot: Tubing 14ga wall

Mounting Plate
- Parts 7522, 7526, and 7532 use Cast Aluminum spider
  - Requires (8) #12-14 screws (not supplied)
- Part 7538 has 12" x 12" x 4ga steel plate
  - Requires (12) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 1/4-20 x 1-3/4″ long shank

End Caps
- Welded and polished to look like solid steel
- Optional high impact plastic end caps available

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
7522	3" Dia.	24" Sq / 24" Rd	22" x 22"	16 lbs.	273	268	265	262	260
7526	3" Dia.	30" Sq / 36" Rd	26" x 26"	17 lbs.	283	278	275	272	270
7532	3" Dia.	36" Sq / 42" Rd	32" x 32"	19 lbs.	297	292	289	286	284
7538	4" Dia.	42" Sq / 60" Rd	38" x 38"	30 lbs.	356	351	348	345	343

OPTIONS

- **Unfinished/Raw**
  - Subtract $10 LIST
- **Polished or Satin Chrome**
  - Quoted upon request
- **Special Heights**
  - Shorter, add $45 LIST
  - Taller up to bar height, add $65 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $65 LIST
- **Locking Casters**
  - Hard Wheel: add prefix “C” to part #, add $32 LIST
  - Soft Wheel: add prefix “D” to part #, add $46 LIST
- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $37 LIST
  - Self-Leveling glides do add approx. 5/8" to base height
- **Economy: High Impact Plastic End Caps**
  - Add prefix "PC" to part #, subtract $8 LIST
  - Only available in black or silver
- **Flip-Top**
  - Add prefix “FT” to part #, add $138 LIST
  - Maximum top size is 54" with levelers & 48" with casters



TUBULAR 4-POST X BASE



SPECS

Construction
- Rigid bolted

Tubing
- 2" OD x 14ga

Mounting Plate
- (4) 4" x 4" steel plates
- Requires (16) #12-14 screws (not supplied)
- Subtops recommended on all two-piece tops

Base Height
- 27-3/4"

Adjustable Leveler
- 1/4-20 x 1-3/4″ long shank

End Caps
- Welded and polished to look like solid steel

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
7438	2" Dia.	48" Sq / 60" Rd	38" x 38"	37 lbs.	555	547	542	537	533
7448	2" Dia.	60" Sq / 84" Rd	48" x 48"	39 lbs.	610	602	597	592	588

OPTIONS

- **Unfinished/Raw**
  - Subtract $20 LIST
- **Special Heights**
  - Shorter, add $70 LIST
  - Taller up to bar height, add $90 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $90 LIST
- **Locking Casters**
  - Hard Wheel: Add prefix “C” to part #, add $60 LIST
  - Soft Wheel: Add prefix "D" to part #, add $74 LIST
- **Self-Leveling Glides**
  - Add prefix “K” to part #, add $37 LIST
  - Self-Leveling glides do add approx. 5/8″ to base height

H LEG
COLLECTION

H Legs

bring an industrial style to any space. Available in both round and square columns, H Legs deliver a rigid, practical base.



Round H Legs / Page 73



Square H Legs / Page 74

ROUND H LEGS



SPECS

Construction
- Welded for maximum strength and stability

Tubing
- 2" column, 14ga wall
- 3" & 4" column, 16ga wall

Mounting Plate
- Part 2208, fabricated steel 6" x 11-1/2"
- Parts 2214 and 3314, fabricated steel 6" x 18"
- Parts 2220 and 3320, fabricated steel 6" x 26"
- Parts 2200 and 3324, fabricated steel (2) 6" x 6"
- Parts 4424 and 4430, steel plates (2) 8" x 8"
- Requires (8) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- Parts 2208, 2200, 2214, and 2220 use 1/4-20 x 1-3/4" long shank
- Parts 3314, 3320, 3324, 4424, and 4430 use 3/8-16 x 1-3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS, except 4430 (must ship LTL)

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread Center to Center on Columns	Weight	1+	12+	26+	100+	250+
2208	2" Dia.	8" Base Spread (application is extra support)	8"	13 lbs.	184	169	165	163	161
2200	2" Dia.	18" - 22"	11"	15 lbs.	196	181	177	175	173
2214	2" Dia.	19" - 24"	14-1/4"	15 lbs.	162	156	152	150	149
2220	2" Dia.	27" - 36"	20"	18 lbs.	187	181	177	175	174
3314	3" Dia.	19" - 24"	14-1/4"	17 lbs.	196	190	186	184	183
3320	3" Dia.	27" - 36"	20"	19 lbs.	229	223	219	217	216
3324	3" Dia.	37" - 48"	24"	21 lbs.	260	254	250	248	247
4424	4" Dia.	42" - 48"	24"	30 lbs.	356	350	346	344	343
4430	4" Dia.	49" - 60"	30"	34 lbs.	478	472	468	466	465

OPTIONS

- **Unfinished/Raw**
  - Subtract $8 LIST
- **Special Heights**
  - Shorter, add $34 LIST
  - Taller up to bar height:
    - For 2" leg, add $46 LIST
    - For 3" leg, add $60 LIST
    - For 4" leg, add $98 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #:
    - For 2" leg, add $46 LIST
    - For 3" leg, add $60 LIST
    - For 4" leg, add $98 LIST
- **Locking Casters**
  - Hard Wheel: Add prefix "C" to part #:
    - For 2", add $24 LIST
    - For 3", add $30 LIST
    - For 4", add $46 LIST
  - Soft Wheel: Add prefix "D" to part #:
    - For 2", add $30 LIST
    - For 3", add $65 LIST
- **Adjustable Spring Clip** (only available on 2")
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $182 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $204 LIST

SQUARE H LEGS



SPECS

Construction
- Welded for maximum strength and stability

Tubing
- 2" column, 14ga wall
- 3" column, 16ga wall

Mounting Plate
- Part 2280, fabricated steel (2) 6" x 6"
- Parts 2281 and 3381, fabricated steel 6" x 18"
- Parts 2282 and 3382, fabricated steel 6" x 26"
- Part 3383, fabricated steel (2) 6" x 6"
- Requires (8) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- Parts 2280, 2281, and 2282 use 1/4-20 x 1-3/4" long shank
- Parts 3381, 3382 and 3383 use 3/8-16 x 1-3/4" long shank.

Finish
- Powder coat finish as standard

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread Center to Center on Columns	Weight	1+	12+	26+	100+	250+
2280	2" Square	18" - 22"	11"	13 lbs.	264	250	242	234	230
2281	2" Square	19" - 24"	14-1/4"	15 lbs.	264	250	242	234	230
2282	2" Square	27" - 36"	20"	15 lbs.	274	260	252	244	240
3381	3" Square	19" - 24"	14-1/4"	18 lbs.	339	329	319	309	305
3382	3" Square	27" - 36"	20"	17 lbs.	362	352	342	332	327
3383	3" Square	37" - 48"	24"	25 lbs.	410	400	390	380	375

OPTIONS

- **Unfinished/Raw**
  - Subtract $8 LIST
- **Special Heights**
  - Shorter, add $44 LIST
  - Taller up to bar height:
    - For 2" leg, add $50 LIST
    - For 3" leg, add $125 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #:
    - For 2" leg, add $50 LIST
    - For 3" leg, add $125 LIST
- **Locking Casters**
  - Hard Wheel: Add prefix “C” to part #:
    - For 2", add $24 LIST
    - For 3", add $30 LIST
  - Soft Wheel: Add prefix "D" to part #:
    - For 2", add $30 LIST
    - For 3", add $65 LIST

RECTANGLE END PANEL SUPPORT



SPECS

Construction
- Welded for maximum strength and stability

Tubing
- 1" x 2" rectangle tubing and 1" x 1-1/2" rectangle tubing

Mounting Plate
- Fabricated steel
- Requires (16) #12-14 screws (not supplied)

Base Height
- 27-5/16"

Adjustable Leveler
- 2" long shank

Finish
- Powder coat finish as standard

Shipping
- Part ships 2 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

RAISED BAR

List Price Painted Each

Part #	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
2254	24"	22-7/8"	12 lbs.	286	278	274	271	269
2255	30"	28-7/8"	14 lbs.	338	330	326	323	321

LOWER BAR

List Price Painted Each

Part #	Recommended Max. Top Depth	Base Spread	Weight	1+	12+	26+	100+	250+
2256	24"	22-7/8"	12 lbs.	278	270	266	264	262
2257	30"	28-7/8"	14 lbs.	332	324	320	318	316

OPTIONS

- **Unfinished/Raw**
  - Subtract $8 LIST
- **Special Heights**
  - Shorter: Quoted upon request
  - Taller: N/A
- **Locking Casters**
  - Hard Wheel: Add prefix “C” to part #, add $40 LIST
  - Soft Wheel: Add prefix "D" to part #, add $47 LIST

O LEG
COLLECTION

O Legs
are the "go anywhere" base that brings a level of classic sophistication with clean lines and simple elegance. Optional stretcher bar adds stability for larger tables.



O Legs / Stretchers / Page 77-78



O Legs / Stretchers / Page 77-78

O-LEGS



SPECS

Construction
- Welded for maximum strength and stability

Tubing
- 1" x 2-1/2" Steel

Mounting Plate
- Fabricated steel
- Requires (16) #12-14 screws (not supplied)

Adjustable Leveler
- 2" long shank

Finish
- Powder coat finish as standard

Shipping
- Parts 2250, 2251, 2252 & 2253 ship 2 per box (sold individually)
- Parts 2258-04 & 2250-04 ship 1 per box
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

END SUPPORT

List Price Painted Each

Part #	Column Size	Recommended Max. Top Depth	Base Spread	Height	Weight	1+	12+	26+	100+	250+
2250	1" x 2-1/2"	18"	17-1/2"	27-3/4"	14 lbs.	330	316	306	294	288
2251	1" x 2-1/2"	24"	23-1/2"	27-3/4"	16 lbs.	341	327	317	305	299
2252	1" x 2-1/2"	30"	29-1/2"	27-3/4"	18 lbs.	394	380	370	358	352
2253	1" x 2-1/2"	36"	35-1/2"	27-3/4"	20 lbs.	414	400	390	378	372

CENTER SUPPORT

Part #	Column Size	Base Spread	Height	Weight	1+	12+	26+	100+	250+
2258-04	1" x 2-1/2"	12"	27-3/4"	14 lbs.	392	378	368	356	350
2250-04	1" x 2-1/2"	17-1/2"	27-3/4"	16 lbs.	395	381	371	359	353

Stretchers are recommended on counter height and bar height bases. When ordering bases with stretchers (pg. 78) add prefix "S" to part # (ex BS2252). For longer tables, please call for more information and options for a center support base.

OPTIONS

- **Unfinished/Raw**
  - Subtract $24 LIST
- **Special Heights**
  - Shorter, add $40 LIST
  - Taller up to bar height, add $74 LIST
    - Counter Height (34-3/4"), add prefix “CH” to part #, add $74 LIST
    - Bar Height (40-3/4"), add prefix “B” to part #, add $74 LIST
- **Locking Casters**
  - Hard Wheel: add prefix “C” to part #, add $40 LIST
  - Soft Wheel: add prefix "D" to part #, add $47 LIST

STRETCHER FOR O-LEGS



SPECS

Tubing
- 1" x 2-1/2" Steel

Finish
- Powder coat finish as standard

Add prefix "S" to part #

List Price Painted Each

Part #	Length	Recommended Table Length	Weig ht	1+	12+	26+	100+	250+
2242-3025	30-1/4"	36"	5 lbs.	172	158	148	138	130
2242-3625	36-1/4"	42"	6 lbs.	175	161	151	141	133
2242-3812	38-1/8"	84" (w/ Center O Leg)	6 lbs.	175	161	151	141	133
2242-4387	43-7/8"	96" (w/ Center O Leg)	8 lbs.	183	169	159	149	141
2242-4225	42-1/4"	48"	7 lbs.	183	169	159	149	141
2242-4825	48-1/4"	54"	8 lbs.	197	183	173	163	155
2242-5425	54-1/4"	60"	9 lbs.	203	189	179	169	161
2242-6625	66-1/4"	72"	11 lbs.	242	228	218	208	200

OPTIONS

- **Unfinished/Raw**
  - Subtract $10 LIST
- **Special Lengths**
  - Quoted upon request

LATITUDE
COLLECTION

Latitude

features laptop and occasional table bases that have a low profile and classic styling. These bases add versatility and function to your design. Within the Latitude collection is Gibraltar's first full table featuring the laptop base with a steel top.



Premium Laptop Base / Angled Column / Page 81



Round Occasional Base / Pages 82



Economy Laptop Base / "C" Shape / Page 81

LATITUDE STEEL TOP LAPTOP TABLE



SPECS

Construction
- Column, Base, and Mounting Plates are bolted.

Top
- 1/8" steel

Column
- Steel

Plastic Glides
- For carpet and hard surfaces - no adjustment

Finish
- Powder coat finish as standard.

Shipping
- Part ships in two boxes
  - The base is shipped in one box, and the top is shipped in a separate box
- Can be shipped via FedEx or UPS

PREMIUM 1-1/2" SOLID COLUMN LAPTOP BASES

List Price Painted Each

Part #	Column Diameter	Base Size / Shape	Top Size	Height	Weight	1+	12+	26+	100+	250+
1311-1001	1-1/2" Offset	14" Dia.	20" Rd	24-1/2"	33 lbs.	751	736	727	723	718
1311-1002	1-1/2" Centered	14" Dia.	20" Rd	24-1/2"	33 lbs.	751	736	727	723	718
1311-1003	1-1/2" Offset	10-1/2" x 15-1/2" Rect	14" x 20" Rect	24-1/2"	35 lbs.	755	740	731	727	722

OPTIONS

- **Unfinished/Raw**
  - Subtract $30 LIST
- **Economy Option**
  - This option changes out the solid 1.5" column for a 2" round tube which reduces the weight by 11 lbs.
  - Add suffix "-0036" to part #, subtract $115 LIST

LATITUDE: LAPTOP BASES



SPECS

Construction
- Column, Base, and Mounting Plates are bolted

Column
- Steel

Mounting Plates
- Parts 1300-1001, 1300-1003, 1300-1005, 1310-1001, 1310-1002, & 1310-1004, steel 6" x 8"
  - Requires (10-12) #12-14 screws (not supplied)
- Parts 1300-1002, 1300-1004, 1310-1003, & 1310-1005, steel 6" x 6"
  - Requires (6-8) #12-14 screws (not supplied)

Plastic Glides
- For carpet and hard surfaces - no adjustment

Finish
- Powder coat finish as standard.

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

PREMIUM 1-1/2" SOLID COLUMN LAPTOP BASES

List Price Painted Each

Part #	Column Diameter	Base Size / Shape	Recommended Max. Top Size	Height	Weight	1+	12+	26+	100+	250+
1300-1001	1-1/2" Offset	14" Dia.	20" Rd	24-1/2"	22 lbs.	459	444	435	431	426
1300-1002	1-1/2" Centered	14" Dia.	20" Rd	24-1/2"	22 lbs.	459	444	435	431	426
1300-1003	1-1/2" Offset	10-1/2" x 15-1/2" Rect	14" x 20" Rect	24-1/2"	24 lbs.	459	444	435	431	426
1300-1004	1-1/2" Centered	15-1/2" Sq	24" x 24" Sq	24-1/2"	26 lbs.	523	508	499	495	490
1300-1005	1-1/2" Angled	14" Dia.	20" Rd	24-1/2"	22 lbs.	523	508	499	495	490

ECONOMY 2" DIAMETER COLUMN LAPTOP BASES

List Price Painted Each

Part #	Column Diameter	Base Size / Shape	Recommended Max. Top Size	Height	Weight	1+	12+	26+	100+	250+
1310-1001	2" Offset	13" x 15-3/4" "U"	14" x 20" Rect	24-1/2"	11 lbs.	336	301	286	281	276
1310-1002	2" Offset	12-3/4" x 16-3/4" "C"	20" Rd	24-1/2"	11 lbs.	336	301	286	281	276
1310-1003	2" Centered	14" "H"	20" Sq	24-1/2"	11 lbs.	336	301	286	281	276
1310-1004	2" Offset	14" Rd	20" Rd	24-1/2"	14 lbs.	336	301	286	281	276
1310-1005	2" Centered	14" Rd	20" Rd	24-1/2"	14 lbs.	336	301	286	281	276

OPTIONS

- **Unfinished/Raw**
  - Subtract $15 LIST
- **Polished Chrome**
  - Parts 1300-1001, 1300-1002 & 1300-1005 add $310 LIST
  - Part 1300-1003, add $350 LIST
  - Part 1300-1004, add $370 LIST
  - Economy Parts 1310-1004 & 1310-1005 ONLY, add $310 LIST
- **Adjustable Spring Clip**
  - Height range 17" - 27", add prefix "AH" to part #, add $160 LIST
    - Only available on Economy 2" Diameter Laptop Bases



LATITUDE: ROUND OCCASIONAL BASES



SPECS

Construction
- Column, Base, and Mounting Plates are bolted.

Column
- Steel

Mounting Plate
- Parts 1301-1001, 1301-1002, 1301-1003, & 1301-1004, steel 6" x 6"
  - Requires (6-8) #12-14 screws (not supplied)
- Parts 1301-1006, 1301-1007, 1301-1008, & 1301-1009, steel 11" diameter
  - Requires (8-10) #12-14 screws (not supplied)
- Parts 1301-1011, 1301-1012, 1301-1013, & 1301-1014, steel 8" x 8"
  - Requires (10-12) #12-14 screws (not supplied)

Plastic Glides
- For carpet and hard surfaces - no adjustment

Finish
- Powder coat finish as standard.

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

ROUND BASES

List Price Painted Each

Part #	Column Diameter	Base Size / Shape	Recommended Max. Top Size	Height	Weight	1+	12+	26+	100+	250+
1301-1001	1-1/2" Centered	14" Dia.	20" Rd	15"	18 lbs.	467	452	447	442	437
1301-1002	1-1/2" Centered	14" Dia.	20" Rd	17"	19 lbs.	467	452	447	442	437
1301-1003	1-1/2" Centered	14" Dia.	20" Rd	19"	20 lbs.	467	452	447	442	437
1301-1004	1-1/2" Centered	14" Dia.	20" Rd	21"	21 lbs.	467	452	447	442	437
1301-1006	1-1/2" Centered	18" Dia.	30" Rd	15"	23 lbs.	575	550	545	540	535
1301-1007	1-1/2" Centered	18" Dia.	30" Rd	17"	24 lbs.	575	550	545	540	535
1301-1008	1-1/2" Centered	18" Dia.	30" Rd	19"	25 lbs.	575	550	545	540	535
1301-1009	1-1/2" Centered	18" Dia.	30" Rd	21"	26 lbs.	575	550	545	540	535
1301-1011	3" Centered	23-3/4" Dia.	42" Rd	15"	39 lbs.	560	535	530	525	520
1301-1012	3" Centered	23-3/4" Dia.	42" Rd	17"	40 lbs.	560	535	530	525	520
1301-1013	3" Centered	23-3/4" Dia.	42" Rd	19"	41 lbs.	560	535	530	525	520
1301-1014	3" Centered	23-3/4" Dia.	42" Rd	21"	41 lbs.	560	535	530	525	520

OPTIONS

- **Unfinished/Raw**
  - Subtract $15 LIST
- **Polished Chrome**
  - Quoted upon request

LATITUDE: SQUARE & RECTANGLE OCCASIONAL BASES



SPECS

Construction
- Column, Base, and Mounting Plates are bolted.

Column
- Steel

Mounting Plate
- Parts 1302-1001, 1302-1002, 1302-1003, & 1302-1004, 1303-1001, 1303-1002, 1303-1003, & 1303-1004, steel 6" x 6"
  - Requires (6-8) #12-14 screws (not supplied)
- Parts 1302-1006, 1302-1007, 1302-1008, & 1302-1009, steel 8" x 8"
  - Requires (10-12) #12-14 screws (not supplied)

Plastic Glides
- For carpet and hard surfaces - no adjustment

Finish
- Powder coat finish as standard.

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

SQUARE BASES

List Price Painted Each

Part #	Column Diameter	Base Size / Shape	Recommended Max. Top Size	Height	Weight	1+	12+	26+	100+	250+
1302-1001	1-1/2" Centered	15-1/2" Sq	24" Sq	15"	22 lbs.	510	495	486	482	477
1302-1002	1-1/2" Centered	15-1/2" Sq	24" Sq	17"	23 lbs.	510	495	486	482	477
1302-1003	1-1/2" Centered	15-1/2" Sq	24" Sq	19"	24 lbs.	510	495	486	482	477
1302-1004	1-1/2" Centered	15-1/2" Sq	24" Sq	21"	25 lbs.	510	495	486	482	477
1302-1006	3" Centered	18" Sq	36" Sq	15"	31 lbs.	525	515	505	501	497
1302-1007	3" Centered	18" Sq	36" Sq	17"	32 lbs.	525	515	505	501	497
1302-1008	3" Centered	18" Sq	36" Sq	19"	33 lbs.	525	515	505	501	497
1302-1009	3" Centered	18" Sq	36" Sq	21"	34 lbs.	525	515	505	501	497

RECTANGLE BASES

List Price Painted Each

Part #	Column Diameter	Base Size / Shape	Recommended Max. Top Size	Height	Weight	1+	12+	26+	100+	250+
1303-1001	1-1/2" Centered	12" x 18" Rect	18" x 24" Rect	15"	20 lbs.	520	505	497	492	487
1303-1002	1-1/2" Centered	12" x 18" Rect	18" x 24" Rect	17"	21 lbs.	520	505	497	492	487
1303-1003	1-1/2" Centered	12" x 18" Rect	18" x 24" Rect	19"	22 lbs.	520	505	497	492	487
1303-1004	1-1/2" Centered	12" x 18" Rect	18" x 24" Rect	21"	23 lbs.	520	505	497	492	487

OPTIONS

- **Unfinished/Raw**
  - Subtract $15 LIST

PEDESTAL
COLLECTION

Pedestal

offers a low-profile base to help maximize the space under a table. With a full lineup for base shapes including round, square, rectangle, squircle, and tapered bases. The low-profile design sits flat on the floor with the option for levelers to be added, raising the base approx. 1" off the floor.


Squircle Pedestal Base / Page 87


Round Pedestal Base + Foot Ring / Page 85


Tapered Pedestal Base / Page 88


Square Pedestal Base + Levelers / Page 86

ROUND PEDESTAL BASE



SPECS

Construction
- Mounting plates are welded to columns. Discs are bolted to columns with (2) flat head screws from the bottom side for extra strength and anti-rotation.

Column
- Fabricated steel 16ga

Mounting Plate
- Steel, 12" x 12" x 4ga
- Requires (12) #12-14 screws (not supplied)

Base Height
- 27-3/4″

Adjustable Leveler
- None as standard, see notes below to add.

Finish
- Powder coat finish as standard

Shipping
- Column and mounting plate are shipped in one box, disc is shipped in a separate box
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column / Base	Recommended Max. Top Depth	Weight	1+	12+	26+	100+	250+
1844	4" Dia. / 18" Dia.	36" Rd / 24" Sq	31 lbs.	501	485	475	471	468
2244	4" Dia. / 23-3/4" Dia.	42" Rd / 30" Sq	45 lbs.	603	587	577	573	570
2266	4" Dia. / 28" Dia.	54" Rd / 42" Sq	50 lbs.	776	760	750	746	742
2267	6" Dia. / 32" Dia.	60" Rd / 48" Sq	75 lbs.	1035	1019	1011	1007	1004

OPTIONS

- **Unfinished/Raw**
  - Subtract $15 LIST
- **Polished or Satin Chrome**
  - Standard height:
    - Part 1844, add $560 LIST
    - Part 2244, add $605 LIST
    - Part 2266, add $730 LIST
  - Taller, up to and including bar height:
    - Part 1844, add $600 LIST
    - Part 2244, add $645 LIST
    - Part 2266, add $770 LIST
  - Part 2267 - N/A
- **Special Heights**
  - Shorter, add $40 LIST
  - Taller up to bar height:
    - 1844, 2244, and 2266, add $68 LIST
    - 2267, add $140 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #:
    - 1844, 2244, and 2266, add $68 LIST
    - 2267, add $140 LIST
- **Adjustable Levelers**
  - Add prefix “L” to part #, add $32 LIST
- **Carpet Glides**
  - Add prefix “G” to part #, add $20 LIST
  - Glides add 1/5" to height (no adjustment)
- **Flip-Top**
  - Add prefix "FT", add $153 LIST
  - Maximum top size is 54"



- **Internal Wire Access**
  - Includes 3.5" hole through mounting plate and 1.4" hole out bottom of disc.
  - Add prefix "W" to part #, add $85 LIST
- **Power Box Wire Management**
  - A steel box mounting plate with a 9.6" x 9.6" x 2.75" tall I.D. allows room for a power module to be concealed. Wire and plug travel down the inside of the column and out a 1.4" hole out bottom of disc. Box is powder coated to match base.
  - Add prefix “W” and suffix "-0005" to part #, add $245 LIST
    - Example: LW1844-0005



- **Foot Ring**
  - Steel foot ring that bolts between column and disc
  - Add prefix “FR” to part #, add $189 LIST
    - Only available on 4" columns



SQUARE & RECTANGLE PEDESTAL BASE



SPECS

Construction
- Mounting plates are welded to columns. Discs are bolted to columns with (2) flat head screws from the bottom side for extra strength and anti-rotation.

Column
- Fabricated steel 16ga

Mounting Plate
- Steel, 12" x 12" x 4ga
- Requires (12) #12-14 screws (not supplied)

Base Height
- 27-3/4″

Adjustable Leveler
- None as standard, see notes below to add.

Finish
- Powder coat finish as standard

Shipping
- Column and mounting plate are shipped in one box, disc is shipped in a separate box
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column / Base	Recommended Max. Top Depth	Weight	1+	12+	26+	100+	250+
1870	4" Dia. / 18" x 18" Sq	36" Rd / 36" Sq	39 lbs.	564	554	544	540	536
1871	4" Dia. / 23-3/4" x 23-3/4" Sq	48" Rd / 42" Sq	56 lbs.	645	635	625	621	617
1872	6" Dia. / 23-3/4" x 23-3/4" Sq	48" Rd / 48" Sq	60 lbs.	798	788	778	774	770
1875	6" Dia. / 18" x 28" Rect	36" x 60" Rect	55 lbs.	820	810	800	796	792
1876	6" Dia. / 24" x 28" Rect	42" x 60" Rect	66 lbs.	893	883	873	869	865

OPTIONS

- **Unfinished/Raw**
  - Subtract $15 LIST
- **Special Heights**
  - Shorter, add $40 LIST
  - Taller up to bar height:
    - Parts 1870 and 1871 add $68 LIST
    - Parts 1872, 1875, and 1876 add $140 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #:
    - Parts 1870 and 1871 add $68 LIST
    - Parts 1872, 1875, and 1876 add $140 LIST
- **Adjustable Levelers**
  - Add prefix “L” to part #, add $32 LIST
- **Carpet Glides**
  - Add prefix “G” to part #, add $20 LIST
  - Glides add 1/5" to height (no adjustment)
- **Flip-Top**
  - Add prefix "FT" to part #, add $153 LIST



- **Internal Wire Access**
  - Includes 3.5" hole through mounting plate and 1.4" hole out bottom of disc.
  - Add prefix "W" to part #, add $85 LIST
- **Power Box Wire Management**
  - A steel box mounting plate with a 9.6" x 9.6" x 2.75" tall I.D. allows room for a power module to be concealed. Wire and plug travel down the inside of the column and out a 1.4" hole out bottom of disc. Box is powder coated to match base.
  - Add prefix “W” and suffix "-0005" to part #, add $245 LIST
    - Example: LW1870-0005



- **Foot Ring**
  - Steel foot ring that bolts between column and disc
  - Add prefix “FR” to part #, add $189 LIST
    - Only available on 4" columns



SQUIRCLE PEDESTAL BASE



SPECS

Construction
- Mounting plates are welded to columns. Discs are bolted to columns with (2) flat head screws from the bottom side for extra strength and anti-rotation.

Column
- Fabricated steel 16ga

Mounting Plate
- Steel, 12" x 12" x 4ga
- Requires (12) #12-14 screws (not supplied)

Base Height
- 27-3/4″

Adjustable Leveler
- None as standard, see notes below to add.

Finish
- Powder coat finish as standard

Shipping
- Column and mounting plate are shipped in one box, disc is shipped in a separate box
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column / Base	Recommended Max. Top Depth	Weight	1+	12+	26+	100+	250+
1890	4" Dia. / 18" x 18" Squircle	36" Rd / 30" Sq	39 lbs.	564	554	544	540	536
1892	4" Dia. / 23-3/4" x 23-3/4" Squircle	42" Rd / 42" Sq	56 lbs.	645	635	625	621	617
1894	6" Dia. / 28" x 28" Squircle	48" Rd / 48" Sq	60 lbs.	998	984	972	968	964

OPTIONS

- **Unfinished/Raw**
  - Subtract $15 LIST
- **Special Heights**
  - Shorter, add $40 LIST
  - Taller up to bar height:
    - Parts 1890 and 1892, add $68 LIST
    - Part 1894, add $140 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #:
    - Parts 1890 and 1892, add $68 LIST
    - Part 1894, add $140 LIST
- **Adjustable Levelers**
  - Add prefix “L” to part #, add $32 LIST
- **Carpet Glides**
  - Add prefix “G” to part #, add $20 LIST
  - Glides add 1/5" to height (no adjustment)
- **Flip-Top**
  - Add prefix "FT" to part #, add $153 LIST



- **Internal Wire Access**
  - Includes 3.5" hole through mounting plate and 1.4" hole out bottom of disc.
  - Add prefix "W" to part #, add $85 LIST
- **Power Box Wire Management**
  - A steel box mounting plate with a 9.6" x 9.6" x 2.75" tall I.D. allows room for a power module to be concealed. Wire and plug travel down the inside of the column and out a 1.4" hole out bottom of disc. Box is powder coated to match base.
  - Add prefix “W” and suffix "-0005" to part #, add $245 LIST
    - Example: LW1890-0005



- **Foot Ring**
  - Steel foot ring that bolts between column and disc
  - Add prefix “FR” to part #, add $189 LIST
    - Only available on 4" columns



TAPERED PEDESTAL BASE



SPECS

Construction
- Mounting plates are welded to columns. Discs are bolted to columns with (2) flat head screws from the bottom side for extra strength and anti-rotation.

Column
- Fabricated steel 16ga

Mounting Plate
- Steel, 12" x 12" x 4ga
- Requires (12) #12-14 screws (not supplied)

Adjustable Leveler
- None as standard, see notes below to add.

Finish
- Powder coat finish as standard

Shipping
- Column and mounting plate are shipped in one box, disc is shipped in a separate box
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column / Base	Recommended Max. Top Depth	Height	Weight	1+	12+	26+	100+	250+
1810	4" - 2" / 18" Rd	30" Rd	27-3/4"	40 lbs.	714	674	659	649	639
1814	4" - 2" / 23-3/4" Rd	42" Rd	27-3/4"	45 lbs.	794	754	739	729	719
1820	5" - 2.25" / 18" Rd	30" Rd	40-1/2"	46 lbs.	1099	1059	1044	1034	1024
1824	5" - 2.25" / 23-3/4" Rd	42" Rd	40-1/2"	66 lbs.	1179	1139	1124	1114	1104

OPTIONS

- **Unfinished/Raw**
  - Subtract $15 LIST
- **Special Heights**
  - Shorter, add $100 LIST
- **Adjustable Levelers**
  - Add prefix “L” to part #, add $65 LIST
- **Carpet Glides**
  - Add prefix “G” to part #, add $20 LIST
  - Glides add 1/5" to height (no adjustment)
- **Flip-Top**
  - Add prefix "FT" to part #, add $195 LIST
- **Foot Ring**
  - Steel foot ring that bolts between column and disc
  - Add prefix “FR” to part #, add $189 LIST





CYLINDER BASE



SPECS

Construction
- Welded for maximum strength and stability

Column
- Fabricated steel 16ga

Mounting Ring
- 7ga steel. Ring diameter is 3-1/4" larger than cylinder
- Requires (8) #12-14 screws (not supplied)

Wire Access
- Part 1200 has a 2" hole out bottom of cylinder plate
- Parts 1800 & 2400 have a 6" hole out bottom of cylinder plate

Adjustable Leveler
- Standard

Finish
- Powder coat finish as standard

Shipping
- Small quantities of parts 1200 and 1800 can be shipped via FedEx or UPS Ground but will incur a Crating Charge.
- Part 2400 must ship via common carrier

List Price Painted Each

Part #	Diameter	Recommended Freestanding Top Size	Weight	1+	12+	26+	100+	250+
1200	12"	24" Rd	21 lbs.	900	795	755	725	720
1800	18"	42" - 48" Rd	35 lbs.	910	805	760	725	715
2400	24"	48" - 60" Rd	46 lbs.	1265	1155	1110	1075	1065

Ballast weight may be needed depending on top size

OPTIONS

- **Unfinished/Raw**
  - Subtract $25 LIST
- **Special Heights**
  - Shorter: Quoted upon request
  - Taller: Quoted upon request
- **Crating Charge (when shipping via UPS or FedEx Ground)**
  - Applies only to parts 1200 and 1800
  - Add $75 LIST

PANEL BASE
COLLECTION

Panel Bases

provide a great solution for conference and board room tables that demand a look that is one of high integrity, quality, and functionally smart. Aluminum extrusions embrace the border and panels fill in between the outer columns. Steel, laminate, and veneer panels are available.

Enjoy the look, longevity, and functionality these bases provide.

Panels sold separately (pg. 92-94).



Flat Panel Base + Steel Perforated Panels / Pages 91 & 92



V-Shaped Panel Base + Curved Laminate Panels / Page 91 & 93

PANEL BASES



SPECS

Construction
- Rigid bolted

Column
- Aluminum

Mounting Plate
- Fabricated steel
- Requires (8) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16" x 3/4" long shank

Finish
- Powder coat finish as standard.

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

FLAT END BASE - ORDER FLAT PANELS SEPARATELY

List Price Painted Each

Part #	Recommended Max. Top Depth	Base Spread Leveler to Leveler	Weight	1+	9+	17+	29+	100+	250+
1132	36"	18"	26 lbs.	619	605	597	592	589	587
1133	42" - 60"	24"	32 lbs.	619	605	597	592	589	587
1134	72" - 84"	34"	35 lbs.	634	620	612	607	604	602

V-SHAPED END BASE - ORDER CURVED PANELS SEPARATELY


List Price Painted Each

Part #	Recommended Max. Top Depth	Base Spread Leveler to Leveler	Weight	1+	9+	17+	29+	100+	250+
1142	36"	20"	26 lbs.	600	586	578	573	570	568
1143	42" - 60"	26"	32 lbs.	600	586	578	573	570	568
1144	72" - 84"	36"	35 lbs.	615	601	593	588	585	583

OPTIONS

- **Unfinished/Raw**
  - Subtract $18 LIST
- **Panels**
  - Order Steel Panels on Page 92
  - Order Laminate Panels on Page 93
  - Order Veneer Panels on Page 94

STEEL PANELS FOR PANEL BASES





SPECS

Construction

- Fabricated Steel

Finish

- Powder coat finish as standard. Custom finishes quoted upon request.

Orders

- Order 2 panels per base (sold individually)

FLAT PLAIN STEEL PANELS

List Price Painted Each

Part #	Use With Panel Base Part #	Description / Shape	1+	9+	17+	29+
2002-1002-2099	1132	Plain / Flat	255	240	213	203
2002-1002-2699	1133	Plain / Flat	275	260	233	223
2002-1002-3699	1134	Plain / Flat	324	309	282	272

FLAT PERFORATED STEEL PANELS

List Price Painted Each

Part #	Use With Panel Base Part #	Description / Shape	1+	9+	17+	29+
2003-1002-2099	1132	Perforated / Flat	258	243	216	206
2003-1002-2699	1133	Perforated / Flat	278	263	236	226
2003-1002-3699	1134	Perforated / Flat	327	312	285	275

CURVED PLAIN STEEL PANELS

List Price Painted Each

Part #	Use With Panel Base Part #	Description / Shape	1+	9+	17+	29+
2004-1002-1799	1142	Plain / Curved	255	240	213	203
2004-1002-2399	1143	Plain / Curved	275	260	233	223
2004-1002-3399	1144	Plain / Curved	324	299	282	272

CURVED PERFORATED STEEL PANELS

List Price Painted Each

Part #	Use With Panel Base Part #	Description / Shape	1+	9+	17+	29+
2005-1002-1799	1142	Perforated / Curved	258	243	216	206
2005-1002-2399	1143	Perforated / Curved	278	263	236	226
2005-1002-3399	1144	Perforated / Curved	327	312	285	275

LAMINATE PANELS FOR PANEL BASES



SPECS

Finish

- Other laminates available, please call.

Orders

- Order 2 panels per base (sold individually)

FLAT LAMINATE PANELS

List Price Each

Part #	Use With Panel Base Part #	Panel Shape	1+	9+	17+	29+
2000-1001-20_ _	1132	Flat	333	299	289	281
2000-1001-26_ _	1133	Flat	383	349	339	330
2000-1001-36_ _	1134	Flat	457	423	413	404

CURVED LAMINATE PANELS

List Price Each

Part #	Use With Panel Base Part #	Panel Shape	1+	9+	17+	29+
2001-1001-17_ _	1142	Curved	333	284	259	251
2001-1001-23_ _	1143	Curved	365	316	291	283
2001-1001-33_ _	1144	Curved	503	454	429	421

STANDARD LAMINATE FINISHES FOR ABOVE

Wilsonart Fusion Maple	7909-60	Add number **01** to the end of the panel number for the finish
Wilsonart Wild Cherry	7054-60	Add number **02** to the end of the panel number for the finish
Wilsonart Solar Oak	7816-60	Add number **03** to the end of the panel number for the finish
Wilsonart Empire Mahogany	7122T-07	Add number **04** to the end of the panel number for the finish
Wilsonart Figured Mahogany	7040-78	Add number **05** to the end of the panel number for the finish (add $26 LIST)
Wilsonart Columbian Walnut	7943-07	Add number **06** to the end of the panel number for the finish (add $26 LIST)
Wilsonart Brighton Walnut	7922-07	Add number **07** to the end of the panel number for the finish (add $26 LIST)

Example: Flat Panel Number 2000-1001-20 ***03***
Example: Curved Panel Number 2001-1001-17 ***03***

VENEER PANELS FOR PANEL BASES



SPECS

Finish

- Veneer panels are furnished unfinished so you match the finish to your product.

Orders

- Order 2 panels per base (sold individually)

FLAT VENEER PANELS

List Price Each

Part #	Use With Panel Base Part #	Material	Panel Shape	1+	9+	17+	29+
2000-1002-2001	1132	Maple	Flat	225	204	200	195
2000-1002-2002	1132	Cherry	Flat	225	204	200	195
2000-1002-2601	1133	Maple	Flat	255	234	230	225
2000-1002-2602	1133	Cherry	Flat	255	234	230	225
2000-1002-3601	1134	Maple	Flat	307	286	282	277
2000-1002-3602	1134	Cherry	Flat	307	286	282	277

CURVED VENEER PANELS

List Price Each

Part #	Use With Panel Base Part #	Material	Panel Shape	1+	9+	17+	29+
2001-1002-1701	1142	Maple	Curved	229	208	204	199
2001-1002-1702	1142	Cherry	Curved	229	208	204	199
2001-1002-2301	1143	Maple	Curved	259	238	234	229
2001-1002-2302	1143	Cherry	Curved	259	238	234	229
2001-1002-3301	1144	Maple	Curved	321	300	296	291
2001-1002-3302	1144	Cherry	Curved	321	300	296	291

POST LEG
COLLECTION

Post Legs

Gibraltar offers versatile, distinctive post legs with options including round, square, adjustable, bent, and angled legs. Whether you need a unique high-end design or a quality value option, we can quote custom heights and a range of column sizes to meet your project needs.







ROUND STRAIGHT LEG



SPECS

Construction
- Welded for maximum strength and stability

Column
- 1-1/2" & 2": 14ga wall tubing
- 3", 4", & 6": 16ga wall tubing

Mounting Plate
- 1-1/2", 2", 3", & 4": Steel, 6" x 6" x .125"
- 6": Steel, 8" x 8" x .187"
- Requires (4-8) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 2" tubes have a 1/4-20 x 1-3/4" long shank
- 1-1/2", 3", 4", & 6" tubes have a 3/8-16 x 3/4" long shank

Finish
- Powder coat finish as standard

Shipping
- Parts 2000, 3000, 4000, & 6000 ship 1 per box
- Part 1500 ships 2 per box (sold individually)
  - Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Diameter	Weight	1+	12+	26+	100+	250+
1500	1-1/2" Dia.	7 lbs.	137	117	107	103	101
2000	2" Dia.	6 lbs.	74	70	67	65	64
3000	3" Dia.	8 lbs.	95	89	86	84	83
4000	4" Dia.	9 lbs.	113	107	104	102	101
6000	6" Dia.	19 lbs.	317	297	287	282	277

OPTIONS

- **Unfinished/Raw**
  - Subtract $4 LIST
- **Polished or Satin Chrome**
  - Standard height:
    - 1.5" & 2" Leg, add $248 LIST
    - 3" Leg, add $275 LIST
    - 4" Leg, add $295 LIST
    - 6" Leg, add $365 LIST
  - Taller, up to and including bar height:
    - 2" Leg, add $268 LIST
    - 3" Leg, add $315 LIST
    - 4" Leg, add $325 LIST
    - 6" Leg, add $400 LIST
  - For Chrome on AH & AHB options (2" only), add $365 LIST
- **Special Heights**
  - Shorter, add $24 LIST
  - Taller up to and including Bar Height:
    - 2" Leg, add $30 LIST
    - 3" Leg, add $38 LIST
    - 4" Leg, add $50 LIST
    - 6" Leg, add $130 LIST
- **Locking Hard Caster**
  - Add prefix "C" to part #:
    - 1.5" Leg, add $12 LIST (2" caster)
    - 2" Leg, add $10 LIST (2-3/8" caster)
    - 3" Leg, add $20 LIST (3" caster)
    - 4" Leg, add $28 LIST (4" caster)
    - 6" Leg, N/A
- **Locking Soft Caster** (only available on part 2000)
  - Add prefix "D", add $14 LIST
- **Self-Leveling Glide**
  - Add prefix "K" to part #, add $16 LIST
  - Self-Leveling glides do add some height, call for specifics.
- **Adjustable Spring Clip** (only available on part 2000)
  - Height range 24-3/4" - 33-3/4": add prefix "AH" to part #, add $74 LIST
  - Height range 27-3/4" - 40-3/4": add prefix "AHB" to part #, add $98 LIST
- **Folding** (only available on part 2000)
  - Folding Mechanism: add prefix "F", add $148 LIST 
    - Maximum top size is 36" x 60" or 48" x 48"
  - Heavy Duty Folding Mechanism: use prefix HDF, add $168 LIST
    - For tops that are larger than 36" x 60", 48" x 48" or heavy-duty applications on smaller tables. 

ROUND STRAIGHT LEG: ECONOMY



SPECS

Construction
- Welded for maximum strength and stability

Column
- Tubing 16ga wall

Mounting Plate
- Parts 3024 & 4024 use a 6" x 6" x .125" steel plate
- Requires (4-8) #12-14 screws (not supplied)

Base Height
- 27-3/4″

Black Plastic Trim Ring
- Part 3024: 3-1/4" diameter x .25" thick with .125" full radius on 3-1/4" diameter
- Part 4024: 4" diameter x .125" thick

Finish
- Powder coat finish as standard.

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Leg Diameter	Weight	1+	12+	26+	100+	250+
3024	3"	8 lbs.	90	84	81	79	78
4024	4"	9 lbs.	107	100	97	95	94

OPTIONS

- **Unfinished/Raw**
  - Subtract $4 LIST
- **Special Heights**
  - Shorter, add $22 LIST
  - Taller up to bar height:
    - 3" Diameter, add $38 LIST
    - 4" Diameter, add $50 LIST
  - Bar Height (40.75"), add prefix "B" to part #:
    - 3" Diameter, add $38 LIST
    - 4" Diameter, add $50 LIST

ROUND STRAIGHT LEG: LARGE LEVELER



SPECS

Construction
- Welded for maximum strength and stability

Column
- Tubing 16ga wall

Mounting Plate
- Fabricated steel
  - 3" and 4" use 6" x 6" x .125" plate
  - 6" uses 8" x 8" x .187" plate
- Requires (4-8) #12-14 screws (not supplied)

Base Height
- 27-3/4″

Adjustable Leveler
- Part 3100 uses 3" Dia. x 9/16" high x 13 gage
- Part 4100 uses 4" Dia. x 9/16" high x 13 gage
- Part 6100 uses 6" Dia. x 9/16" high x 13 gage

Finish
- Powder coat finish as standard.

Shipping
- Part ships 1 per box (sold individually)
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Leg Diameter	Weight	1+	12+	26+	100+	250+
3100	3"	8 lbs.	175	163	155	151	149
4100	4"	9 lbs.	203	191	183	179	177
6100	6"	19 lbs.	398	384	374	368	364

OPTIONS

- **Unfinished/Raw**
  - Subtract $4 LIST
- **Special Heights**
  - Shorter: Add $24 LIST
  - Taller up to bar height:
    - 3" Diameter, add $38 LIST
    - 4" Diameter, add $50 LIST
    - 6" Diameter, add $85 LIST
  - Bar Height (40.75"), add prefix "B" to part #:
    - 3" Diameter, add $38 LIST
    - 4" Diameter, add $50 LIST
    - 6" Diameter, add $130 LIST

ROUND PENINSULA ADJUSTABLE LEG



SPECS

Construction
- Welded for maximum strength and stability

Column
- Tubing 16ga wall

Mounting Plate
- Fabricated steel
  - 3" and 4" use 6" x 6" x .125" plate
  - 6" uses 8" x 8" x .187" plate
- Requires (4-8) #12-14 screws (not supplied)

Trim Ring
- Polypropylene trim ring installed in end of tube

Finish
- Powder coat finish as standard.

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Leg Diameter	Height Adjustable	Weight	1+	12+	26+	100+	250+
3400	3"	24-7/8" - 29"	9 lbs.	183	175	169	164	161
4400	4"	24-7/8" - 29"	10 lbs.	224	216	210	205	202
6400	6"	24-7/8" - 29"	21 lbs.	430	425	419	414	411

Not designed to be used on freestanding tables

OPTIONS

- **Unfinished/Raw**
  - Subtract $4 LIST
- **Special Heights**
  - Shorter: Add $26 LIST
  - Taller up to bar height:
    - 3" Diameter, add $42 LIST
    - 4" Diameter, add $54 LIST
    - 6" Diameter, add $134 LIST

ESPY POST LEG



SPECS

Construction
- Welded for maximum strength and stability

Column
- Combination of 2" round, 14ga steel & 1" x 2" rectangle, 16ga steel

Mounting Plate
- Steel, 6" x 6"
- Requires (8) #12-14 screws (not supplied)

Base Height
- 27-3/4"

- **Adjustable Leveler**
  - 1/4-20 x 1-3/4" long shank
- **Finish**
  - Powder coat finish as standard.
- **Shipping**
  - Parts ship 2 per box (sold individually)
  - Broken Carton Charge for odd quantity is $20 LIST
  - Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Weight	1+	12+	26+	100+	250+
2033	2" Dia. & 1" x 2" Rect.	6 lbs.	157	147	135	127	123

OPTIONS

- **Unfinished/Raw**
  - Subtract $4 LIST
- **Special Heights**
  - Shorter, add $22 LIST
  - Taller up to bar height, add $34 LIST
  - Bar Height (40-3/4"), add prefix “B” to part #, add $34 LIST
- **Locking Casters**
  - Hard Wheel: Add prefix “C” to part #, add $14 LIST
  - Soft Wheel: Add prefix "D" to part #, add $18 LIST

SQUARE POST LEGS


Corner Mount


Center Mount

SPECS

Construction
- Welded for maximum strength and stability

Column
- Tubing 14ga wall

Mounting Plate
- Steel
- Requires (4-8) #12-14 screws (not supplied)

Base Height
- 27-3/4"

Adjustable Leveler
- 3/8-16 x 2" long shank

Finish
- Powder coat finish as standard.

Shipping
- Parts ship 1 per box
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Square Leg / Mount	Weight	1+	12+	26+	100+	250+
2514	2" / Center	7 lbs.	98	93	88	85	83
3030	3" / Center	12 lbs.	169	153	143	139	137
2510	2" / Corner	8 lbs.	156	145	128	120	118
3510	3" / Corner	13 lbs.	231	209	207	195	193

OPTIONS

- **Unfinished/Raw**
  - Subtract $4 LIST
- **Polished or Satin Chrome**
  - 2" Legs:
    - Standard height, add $230 LIST
    - Taller, up to bar height, add $250 LIST
  - 3" Legs:
    - Standard height, add $270 LIST
    - Taller, up to bar height, add $290 LIST
- **Special Heights**
  - Shorter, add $20 LIST
  - Taller up to bar height:
    - 2" Leg, add $38 LIST
    - 3" Leg, add $70 LIST
  - Bar Height (40.75"), add prefix "B" to part #:
    - 2" Leg, add $38 LIST
    - 3" Leg, add $70 LIST
- **Locking Hard Caster**
  - Add prefix “C” to part #:
    - 2" Leg, add $18 LIST (2-3/8" Caster)
    - 3" Leg, add $26 LIST (3" Caster)
- **Locking Soft Caster**
  - Only available on 2" legs
  - Add prefix “D” to part #, add $21 LIST

RECTANGLE POST LEG



SPECS

Construction
- Welded for maximum strength and stability

Column
- 1-1/2" x 3", 11ga steel

Mounting Plate
- Steel, 6" x 6"
- Requires (8) #12-14 screws (not supplied)

Base Height
- 27-3/4"

- **Adjustable Leveler**
  - 5/16-18 x 1" long shank
- **Finish**
  - Powder coat finish as standard.
- **Shipping**
  - Part ships 1 per box
  - Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Weight	1+	12+	26+	100+	250+
1540	1-1/2" x 3"	9 lbs.	180	164	156	152	149

OPTIONS

- **Unfinished/Raw**
  - Subtract $4 LIST
- **Polished Chrome**
  - Standard height, add $280 LIST
  - Taller, up to bar height, add $315 LIST
- **Special Heights**
  - Shorter, add $20 LIST
  - Taller up to bar height, add $74 LIST
  - Bar Height (40.75"), add prefix "B" to part #, add $74 LIST
- **3" Locking Hard Caster**
  - Add prefix “C” to part #, add $40 LIST

ANGLED LEGS



SPECS

Construction
- Welded for maximum strength and stability

Column
- Parts 1526 & 2526 use 14ga tubing
- Part 1536 uses 11ga tubing

Mounting Plate
- Parts 1526 and 2526 use 4" x 6.75" steel plate
- Part 1536 uses 5" x 6.5" steel plate
- Requires (12) #12-14 screws (not supplied)

Base Height
- 27-3/4"

- **Adjustable Leveler**
  - Parts 1526 and 1536 use 5/16-18 x .75″ long shank
  - Part 2526 uses 3/8-16 x .75" long shank
- **Finish**
  - Powder coat finish as standard.
- **Shipping**
  - Parts ship 2 per box (sold individually)
  - Broken Carton Charge for odd quantity is $20 LIST
  - Can be shipped via FedEx or UPS
- **Bolt pattern available at www.gibraltarinc.com**

List Price Painted Each

Part #	Column	Height	Weight	1+	12+	26+	100+	250+
1526	1.5" Square	27-3/4"	6 lbs.	171	156	150	143	137
2526	2" Square	27-3/4"	7 lbs.	175	160	154	147	141
1536	1.5" x 3" Rect.	27-3/4"	11 lbs.	235	217	213	201	197
Occasional Angled Legs								
1536-1575	1.5" x 3" Rect.	15-3/4"	8 lbs.	209	191	187	175	171
1536-1875	1.5" x 3" Rect.	18-3/4"	9 lbs.	209	191	187	175	171

OPTIONS

- **Unfinished/Raw**
  - Subtract $4 LIST
- **Polished or Satin Chrome**
  - Available, quoted upon request
- **Special Heights**
  - Shorter, add $24 LIST
  - Taller up to bar height:
    - 2526, add $70 LIST
    - 1536, add $76 LIST
  - Bar Height (40.75"), add prefix "B" to part #:
    - 2526, add $70 LIST
    - 1536, add $76 LIST
- **Locking Hard Caster**
  - Add prefix "C" to part #:
  - 1526 & 2526, add $28 LIST
  - 1536, add $34 LIST
- **Locking Soft Caster**
  - Add prefix "D" to part #:
    - 1526 & 2526, add $32 LIST
    - 1536, add $52 LIST
- **Wire Holes**
  - (2) Wire holes on underside of leg
  - Add prefix "W" to part #, add $40 LIST
    - 1526 and 1536, upper hole is 1" x 2.25", lower hole is 1" x 1.5"
    - 2526, upper hole is 1.5" x 2.25", lower hole is 1" x 1.5"

SQUARE BENT LEGS



SPECS

Construction
- Welded for maximum strength and stability

Column
- Fabricated steel 14ga

Mounting Plate
- Steel, 4" x 6-3/4"
- Requires (12) #12-14 screws (not supplied)

Base Height
- 27-3/4"

- **Adjustable Leveler**
  - Parts 1530 uses a 5/16-18 x 1.5″ long shank
  - Part 2530 uses a 3/8-16 x 1.75" long shank
- **Finish**
  - Powder coat finish as standard.
- **Shipping**
  - Parts ship 2 per box (sold individually)
  - Broken Carton Charge for odd quantity is $20 LIST
  - Can be shipped via FedEx or UPS
- **Bolt pattern available at www.gibraltarinc.com**

List Price Painted Each

Part #	Column Size	Weight	1+	12+	26+	100+	250+
1530	1.5" Square	6 lbs.	217	203	193	185	181
2530	2" Square	7 lbs.	204	190	180	172	168

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Special Heights**
  - Shorter, add $28 LIST
- **Locking Casters**
  - Hard Wheel: Add prefix “C” to part #, add $33 LIST
  - Soft Wheel: Add prefix "D" to part #, add $40 LIST

ROUND BENT LEG



SPECS

Construction
- Welded for maximum strength and stability

Column
- Fabricated steel 11ga

Mounting Plate
- Steel, .187" and .125" x 6" x 6"
- Requires (8) #12-14 screws (not supplied)

Base Height
- 27-3/4"

- **Adjustable Leveler**
  - 3/8-16 x .65″ long shank
- **Finish**
  - Powder coat finish as standard.
- **Shipping**
  - Parts ship 2 per box (sold individually)
  - Broken Carton Charge for odd quantity is $20 LIST
  - Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column Size	Weight	1+	12+	26+	100+	250+
1520	1-1/2 Double Bend	7 lbs.	227	215	209	203	201

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Locking Casters**
  - Hard Wheel: Add prefix “C” to part #, add $12 LIST
  - Soft Wheel: Add prefix "D" to part #, add $16 LIST

TAPERED LEGS



SPECS

Construction
- Welded for maximum strength and stability

Column
- Fabricated steel 14ga

Mounting Plate
- Steel, 6" x 6" x .125"
- Requires (8) #12-14 screws (not supplied)

Adjustable Leveler
- Part 2520 has tapered leveler from 2-1/8" to 1-7/16" diameter by 2-3/8" tall
- Part 4200 has 3/8-16 by 1-3/4" long shank

- **Finish**
  - Powder coat finish as standard.
- **Shipping**
  - Parts 4200 & 4240 ship 1 per box
  - Part 2520 ships 2 per box (sold individually)
    - Broken Carton Charge for odd quantity is $20 LIST
  - Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Leg Diameter	Foot Style	Height	Weight	1+	12+	26+	100+	250+
2520	2-1/2" - 1-1/4"	Leveler	27-3/4"	7 lbs.	238	226	222	220	218
4200	4" - 2"	Leveler	27-3/4"	8 lbs.	257	249	246	243	241
4240	5" - 2-1/4"	Leveler	40-1/2"	21 lbs.	674	660	650	640	636

OPTIONS

- **Unfinished/Raw**
  - Subtract $4 LIST
- **Special Heights**
  - Shorter
    - Parts 2520 & C2520, add $45 LIST
    - Parts 4200 & 4240, add $60 LIST
- **Locking Hard Caster** (only available on 2520)
  - Add prefix “C” to part #, add $8 LIST

ADJUSTABLE HEIGHT BASE
COLLECTION

Adjustable Height Bases

have become standard in many work environments. Because of this, alongside a manual spring-clip option on different bases, Gibraltar also offers two alternatives: electric and hand-crank. Both provide full sit-to-stand ranges, with the option for casters to be added.



Hand Crank Base / Page 110



Electric Base / Page 109

ELECTRIC BASE



SPECS

Information

- Maximum lifting speed 1.3" per second, soft start and stop
- Control switch has digital readout showing height
- Programmable lower stop
- 3 programmable memory positions
- UL listed 12 VAC, Standby less than .05w
- Maximum weight capacity is 260 lbs.
- Quiet, noise level less than 50 dB
- Safety anti-collision. Runs for 2 seconds in opposite direction when a load spike is detected
- Adjustable levelers
- 10-foot power cord
- Warranty 5 years

Finish

- Powder coat finish: Black or Silver only

Assembly & Shipping

- Part ships in 1 box
- Assembly required
- Can be shipped via FedEx or UPS

ELECTRIC

List Price Per Set

Part #	Recommended Min. - Max. Top Size	Base Spread	Height Range	Weight	1+	12+	26+	100+	250+
1000-1010	24" x 45" - 24" x 72" 30" x 45" - 30" x 72"	23"	23-1/4" - 49-1/4"	70 lbs.	985	970	960	950	940

OPTIONS

- **Casters**
  - Add prefix "C" to part #, add $60 LIST
  - Includes (2) locking and (2) non-locking casters
  - Casters will add approx. 1-3/4" to height of the base

HAND CRANK BASE



SPECS

Information

- Adjustable frame size to accommodate multiple table lengths
- Handle retracts under table
- Maximum recommended lift weight 200 lbs.
- Adjustable levelers
- Warranty 3 year

Finish

- Powder coat finish: Black or Silver only

Assembly & Shipping

- Part ships in 1 box
- Assembly required
- Can be shipped via FedEx or UPS

HAND CRANK

List Price Per Set

Part #	Recommended Min. - Max. Top Size	Base Spread	Height Range	Weight	1+	12+	26+	100+	250+
1000-1002	24" x 45" - 24" x 72" 30" x 45" - 30" x 72" 36" - 45" - 36" x 72"	23-1/2"	26-1/2" - 39-3/4"	55 lbs.	845	805	790	785	780

OPTIONS

- **Casters**
  - Add prefix “C” to part #, add $40 LIST
  - Casters will add approx. 1-3/4" to height of the base


FLOOR MOUNTED BASE
COLLECTION

Surface Mounted Bases
offer an easy install and a clean look. Seminar tables, lecture halls, restaurants, and cafeterias are all ideal applications for this base. Contact us to quote custom heights, sizes and other modifications.


Round Floor Mounted Legs / Page 111


Round Floor Mounted Legs / Page 111

FLOOR MOUNTED TABLE BASE



SPECS

Construction
- Base is a bolted, welded combination

Tubing
- 1900: 3" Rd x 16ga
- 1910: 3" Sq x 14ga

Top Plate
- Fabricated Steel, 6" x 9"
- Requires (4-8) #12-14 screws (not supplied)

Floor Plate
- 5-1/2" x 7-1/4" x 1/4"
- Wire access 2-1/2" diameter in floor plate
- Requires (4-8) #12-14 screws (not supplied)

Cover for Floor Plate
- Molded plastic cover with black finish to hide mounting screws in the floor

Floor Anchors
- Customer to supply (4) per base
- 5/16" anchors required in cement
- 3/8" toggles required in wood

Base Height
- 27-3/4″

Finish
- Powder coat finish as standard.

Shipping
- Part ships 1 per box
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Column	Recommended Max. Top Depth	Weight	1+	12+	26+	100+	250+
1900	3" Dia.	30"	11 lbs.	332	222	212	206	202
1910	3" Sq	30"	15 lbs.	326	310	298	274	270

OPTIONS

- **Unfinished/Raw**
  - Subtract $6 LIST
- **Polished or Satin Chrome**
  - Quoted upon request
- **Special Heights**
  - Shorter, add $32 LIST
  - Taller up to bar height:
    - 1900, add $45 LIST
    - 1910, add $70 LIST
  - Bar Height (40-3/4"), add prefix "B" to part #:
    - 1900, add $45 LIST
    - 1910, add $70 LIST
- **Wire Holes**
  - Add prefix “W” to part #, add $28 LIST per hole
  - Standard hole size is 1-1/4" diameter
    - For custom hole sizes, please call
  - Please specify number of holes and required placement of each

MODESTY PANEL
COLLECTION


Modesty Panels
provide privacy, rigidity, and wire management options to your base selection.


Perforated Panel for Flip-Top Bases / Page 114


Perforated Panel for Fixed Bases / Page 114

Solutions range from steel to fabric and panels that attach directly to the base or the underside of the top.

UNIVERSAL MODESTY PANELS



SPECS

Construction
- Fabricated Steel 20ga

Finish
- Powder coat finish as standard.

Special Lengths
- Quoted upon request

Shipping
- Parts packed 1 per box
- Can be shipped via FedEx or UPS
- Screws Provided: #10 x 3/4" long pan head

PLAIN MODESTY PANELS

List Price Painted Each

Part #	Panel Length	Panel Height	Weight	1+	11+	31+	65+	101+
9123	35-3/4"	9"	7 lbs.	220	205	190	175	160
9124	47-3/4"	9"	8 lbs.	242	227	212	197	182
9125	59-3/4"	9"	9 lbs.	322	307	292	277	262
9126	71-3/4"	9"	10 lbs.	342	337	322	307	292

PERFORATED MODESTY PANELS

List Price Painted Each

Part #	Panel Length	Panel Height	Weight	1+	11+	31+	65+	101+
9132	35-3/4"	9"	7 lbs.	225	210	195	180	165
9133	47-3/4"	9"	8 lbs.	247	232	217	202	187
9134	59-3/4"	9"	9 lbs.	327	312	297	282	267
9135	71-3/4"	9"	10 lbs.	347	342	327	312	297

WIRE RACEWAYS FOR MODESTY PANELS ABOVE

List Price Painted Each

Part #	Description	Weight	1+	11+	31+	65+	101+
9136	Wire Raceway bolt on to 36" Modesty Panel	2 lbs.	105	98	88	78	68
9137	Wire Raceway bolt on to 48" Modesty Panel	3 lbs.	110	103	93	83	73
9138	Wire Raceway bolt on to 60" Modesty Panel	3 lbs.	125	118	108	98	88
9139	Wire Raceway bolt on to 72" Modesty Panel	4 lbs.	165	158	148	138	128

OPTIONS

- **Unfinished/Raw**
  - Subtract $12 LIST

MODESTY PANELS FOR FIXED & FLIP-TOP BASES



SPECS

Construction
- Fabricated Steel 18ga

Finish
- Powder coat finish as standard.

Special Lengths
- Quoted upon request

Order
- Add prefix "M" to corresponding table base part #

Shipping
- Parts packed 1 or more per box (sold individually)
- Can be shipped via FedEx or UPS

PANELS FOR FLIP-TOP BASES

List Price Painted Each

Part #	Panel Style	Panel Length	Recommended Table Length	Panel Height	Weight	1+	12+	26+	100+	250+
9145	Perforated	36"	48"	9"	7 lbs.	360	300	245	230	220
9146	Perforated	48"	60"	9"	8 lbs.	375	315	260	245	235
9147	Perforated	60"	72"	9"	9 lbs.	455	395	340	325	315
9148	Plain	36"	48"	9"	7 lbs.	355	295	240	225	215
9149	Plain	48"	60"	9"	8 lbs.	370	310	255	240	230
9150	Plain	60"	72"	9"	9 lbs.	450	390	335	320	310

PANELS FOR FIXED BASES


List Price Painted Each

Part #	Panel Style	Panel Length	Recommended Table Length	Panel Height	Weight	1+	12+	26+	100+	250+
9180	Perforated	36"	48"	9"	7 lbs.	360	300	245	230	220
9181	Perforated	48"	60"	9"	8 lbs.	375	315	260	245	235
9182	Perforated	60"	72"	9"	9 lbs.	455	395	340	325	315
9183	Plain	36"	48"	9"	7 lbs.	355	295	240	225	215
9184	Plain	48"	60"	9"	8 lbs.	370	310	255	240	230
9185	Plain	60"	72"	9"	9 lbs.	450	390	335	320	310

OPTIONS

- **Unfinished/Raw**
  - Subtract $12 LIST

MODESTY PANELS FOR OVAL BASES



SPECS

Construction
- Fabricated Steel 20ga

Finish
- Powder coat finish as standard.

Special Lengths
- Quoted upon request

Order
- Add prefix "M" to corresponding table base part #

Shipping
- Parts packed 2 per box (sold individually)
- Can be shipped via FedEx or UPS

PLAIN MODESTY PANELS

List Price Painted Each

Part #	Panel Length	Recommended Table Length	Panel Height	Weight	1+	12+	26+	100+	250+
9120-3600	36"	48"	9"	7 lbs.	270	245	210	185	170
9120-4800	48"	60"	9"	11 lbs.	315	290	255	230	215
9120-6000	60"	72"	9"	14 lbs.	400	375	340	315	300

PERFORATED MODESTY PANELS

List Price Painted Each

Part #	Panel Length	Recommended Table Length	Panel Height	Weight	1+	12+	26+	100+	250+
9121-3600	36"	48"	9"	7 lbs.	280	255	220	195	180
9121-4800	48"	60"	9"	11 lbs.	325	300	265	240	225
9121-6000	60"	72"	9"	14 lbs.	410	385	350	325	310

OPTIONS

- **Unfinished/Raw**
  - Subtract $12 LIST

FABRIC MODESTY PANEL WITH WIRE MANAGEMENT



SPECS

Construction
- Steel rod frame
- Wire raceway pouch is adjustable in size using multiple velcro strips to secure the wires fully enclosed

Hardware
- Hardware packs included for installation

Finish
- Black mesh with black liner

Special Lengths
- Quoted upon request

Shipping
- Parts packed 1 or more per box (sold individually)
- Can be shipped via FedEx or UPS


List Price Each

Part #	Panel Length	Panel Height	Weight	1+	11+	31+	65+	101+
9140	36"	10"	2 lbs.	180	168	151	144	142
9141	48"	10"	2 lbs.	189	177	160	153	151
9142	60"	10"	3 lbs.	210	198	181	174	172
9143	72"	10"	4 lbs.	230	218	201	194	192

ACCESSORIES
COLLECTION

Accessories

can help to complete any space. Gibraltar offers a variety of accessories that can help bring even more versatility to an application. Products include anti-sag table stiffeners, fixed and quick-release plates, and even Flip-Top or folding mechanisms.



Flip-Top Mechanisms / Page 122



Anti-Sag Table Stiffener / Page 120



Quick Release Flat Plate / Page 121

UNIVERSAL WIRE MANAGERS



Flat



Contoured

SPECS

Construction
- Molded flexible / rigid vinyl; dual durometer provides a living hinge

Finish
- Black or Silver with vertical grooves running the length of the part

Attachment
- Attaches to base with double-sided tape

Shipping
- Sold individually
- Can be shipped via FedEx or UPS

List Price Each

Part #	Length	Size	Material	Style	1+	12+	26+	100+	250+
9001-0016	15.62"	0.82" x 1.80"	PVC	Flat	34	24	21	19	18
9001-0019	19"	0.82" x 1.80"	PVC	Flat	35	25	22	20	19
9001-0047	47"	0.82" x 1.80"	PVC	Flat	49	39	36	34	33
9002-0022	22"	1-3/4" x 1/2" (approx.)	HIPS	Contoured	35	25	22	20	19
9002-0048	48"	1-3/4" x 1/2" (approx.)	HIPS	Contoured	53	43	40	38	37

WALL SUPPORT BRACKET



SPECS

Material
- Fabricated Steel

Finish
- Sky White

Mounting
- Wall bracket must be secured to wall studs with 5/16 diameter screws (not supplied)

Shipping
- Sold individually
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Material	Length	Recommended Table Width	Weight	1+	12+	26+	100+	250+
9178	3/16" x 2" x 2-1/2"	33-7/8"	42" - 48"	8 lbs.	215	205	203	201	200
9179	3/16" x 2" x 2-1/2"	50"	54" - 60"	12 lbs.	244	234	232	230	229

ANTI-SAG TABLE STIFFENER



SPECS

Material
- Fabricated Steel

Finish
- Black

Mounting
- Parts 9114-3100 & 9114-3700 require (14) #10-12 screws (not supplied)
- Parts 9114-4300 & 9114-4900 require (18) #10-12 screws (not supplied)
- Parts 9114-5500 & 9114-6100 require (22) #12-12 screws (not supplied)
- Parts 9114-6700 & 9114-7300 require (26) #12-12 screws (not supplied)
- Parts 9114-7900 & 9114-8500 require (30) #12-12 screws (not supplied)


Minimum Order Quantity Per Part #
- 10 (sold individually)
- Broken carton charge for less than 10 is $20 LIST

Shipping
- Can be shipped via FedEx or UPS

List Price Painted Each

Part #	Length	10	30	50	100	200
9114-3100	31"	34	28	26	25	24
9114-3700	37"	37	31	29	28	27
9114-4300	43"	40	34	32	31	30
9114-4900	49"	43	37	35	34	33
9114-5500	55"	46	40	38	37	36
9114-6100	61"	50	44	42	41	40
9114-6700	67"	55	49	47	46	45
9114-7300	73"	59	53	51	50	49
9114-7900	79"	63	57	55	54	53
9114-8500	85"	68	62	60	59	58

FLAT PLATES



SPECS

Material
- Steel

Finish
- Part 9100: Black E-Coat
- Part 9101: Black Powder Coat

Shipping
- Part 9100 ships 20 per box (sold individually)
- Part 9101 ships 25 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

FIXED FLAT PLATES

List Price Painted Each

Part #	Plate Size	Plate Thickness	Hole Size	Number of Holes	20	100-240	300-1000
9100	3" x 6"	1/8"	3/16"	8	7.25	6.75	6.50

List Price Painted Each

Part #	Plate Size	Plate Thickness	Hole Size	Number of Holes	25	100-240	300-1000
9101	4" x 17-3/4"	.075 (14ga)	3/16"	12	47.00	46.00	45.00



SPECS

Material
- Steel, 11ga

Finish
- Black Powder Coat

Kit
- Hand Knobs: 4 per plate
- Inserts: 4 per plate
- Insert Tool: One insert tool provided to install inserts in the tops after drilling holes

Shipping
- Part 9105 ships 10 per box (sold individually)
- Broken carton charge for odd quantity is $20 LIST
- Can be shipped via FedEx or UPS

QUICK REPLEASE FLAT PLATE

List Price Painted Each

Part #	Plate Size	Plate Thickness	Weight	10-20	30-60	70-170	180-300	310+
9105	3" x 6"	11ga	0.75	26.50	26.00	25.50	25.00	24.50

FLIP-TOP KIT & FOLDING MECHANISM



SPECS

Construction
- Injection molded body
- Aluminum pivot
- Steel locking blade
- Rubber bumper pad

Finish
- Black or Silver (cables & handle release will always be black)

Notes:
- Flip-Top Mechanisms lock and release using a single handle

FLIP-TOP KIT

List Price Each

Part #	Column Diameter	Description	1+	12+	26+	100+	250+
9201-BLACK	2"	Kit - 2 Mechanisms & 1 Handle Release	254	249	244	240	236
9201-SILVER	2"	Kit - 2 Mechanisms & 1 Handle Release	254	249	244	240	236

Mechanisms can be used with various diameter columns, call for options. Parts shown above accommodate 2" diameter columns



SPECS

Construction
- Injection molded body
- Aluminum pivot
- Steel locking blade
- Rubber bumper pad

Finish
- Black

Notes:
- Folding mechanism locks and releases using a single lever
- Folding tables between 36" x 59" long requires the use of a riser bracket to allow legs to overlap and lay flat on folding application
- Bases can be mounted using a mounting plate with (2) bolts

FOLDING MECHANISM

List Price Each

Part #	Description	Weight	1+	12+	26+	100+	250+
R1620-BLACK	Single Mechanism	2.75	154	148	144	142	140

POWDER COAT FINISHES

STANDARD FINISHES



PREMIUM FINISHES

$75 PAINT SET-UP FEE APPLIES



TERMS & CONDITIONS

Credit Policy
All new customers must make payment before shipment. To request net terms, a completed credit application form is necessary. Please give us a call, and we will provide you with the required forms.

Terms of Payment
Payments are due within 30 days from the invoice date for customers with approved credit. Any unearned discounts will be reversed and charged back to the customer. Interest will be applied at the maximum legal rate on all overdue accounts. Credit card payments are only accepted upon approval.

Pricing Details
All published prices are list price F.O.B. from our manufacturing facilities and are subject to change without prior notice. Freight charges will be added separately. Each order must be accepted by Gibraltar, and the acknowledged prices will correspond to those in effect at the time of acceptance. For inquiries regarding discounts, please give us a call.

How to Place an Order
You can place orders through email at orders@gibraltarinc.com.

In most cases, we can also accommodate telephone or verbal orders. However, please note that we will need written confirmation and authorization for any verbal orders before production begins. Our team is here to assist you in completing this process.

Acknowledgements
Orders are entered, manufactured, and invoiced in accordance with the acknowledgement. Notify Gibraltar immediately of any discrepancies. Acknowledged orders may not be cancelled or modified without express written approval from the factory.

Shipping Weight
Packed weights are approximate, and should be used as a guide only.

Cancellations
Cancellations cannot be accepted verbally; any order that requires cancellation must be submitted in writing. The following charges will apply to cancellations:

- A restocking fee of a minimum of 30% will be applied to standard bases that are ready for shipment.
- For all special orders, charges will be prorated based on the manufacturing time used from the date of acknowledgment to the date of cancellation.

Shipping Date
The shipping date, noted on the order acknowledgment, indicates when the product is expected to leave the factory. While efforts will be made to ship on schedule, Gibraltar is not responsible for any fees due to delays. Should we anticipate a delay, you will be notified promptly.

Shipment Damage Claims
Ownership of the merchandise transfers to the buyer once it is accepted by the carrier. It is crucial to inspect all cartons carefully upon delivery for both visible and concealed damage before accepting the shipment. In the event of damage, the receiver must note this on the Bill of Lading (BOL) when signing for the delivery. Gibraltar must be notified immediately and provided with pictures of the damage so we can file a claim for prepaid shipments. If the order was shipped freight collect or via a third party, it is the buyer's responsibility to pursue claims with the carrier. Rest assured, all our merchandise undergoes thorough inspection before leaving the factory.

Returns
Returns require prior written authorization from Gibraltar. A minimum restocking fee of 35% will apply to all returned items, given that the products are in their original condition. The customer will be responsible for all freight charges associated with returns. Please note that Gibraltar will not accept returns of any custom or special ordered items.

GIBRALTAR WARRANTY

All products manufactured by Gibraltar Inc. are guaranteed against defective material and workmanship for a period of (5) years from the date of purchase unless specified otherwise. We will repair or replace at our option any product we determine to be defective as a result of faulty material or workmanship. In no event shall our liability under this warranty exceed the purchase price of the product determined to be defective. We will not repair or replace at our cost any product which has been altered, subjected to misuse, negligence, accident, or used in any other way than originally intended for our product. For purposes of this warranty, normal wear to the product finish shall not be considered a defect.

There are no other warranties expressed or implied.

To make a claim under this warranty, contact Gibraltar for written Return Authorization. Do not return merchandise without written authorization. Authorizations are numbered and specify method of transportation and any applicable freight costs. After inspection of returned item, if it is determined by Gibraltar to be defective under terms of warranty, appropriate credit, replacement or repair will be issued.